



Kährs®

KÄHRS FLOORING LOOKBOOK 24

CONTENTS

A PASSION FOR PERFECTION	4	PIAZZA COLLECTION	91	CLASSIC NOUVEAU		AMERICAN AND WORLD		HARMONY COLLECTION	375	RIFUGIO COLLECTION	477
WHY KÄHRS ENGINEERED WOOD FLOORING?	6	OAK CD SMOKED BROWN OILED	92	COLLECTION	187	NATURALS COLLECTION	273	OAK CREME	376	OAK COMICI	478
BEAUTY WITH A CONSCIENCE	8	OAK CD SMOKED GREY OILED	94	OAK NOUVEAU WHISPER	188	CHERRY SAVANNAH	274	OAK ALLOY	378	OAK LOCATELLI	480
HOW TO CHOOSE A FLOOR BOARD REFERENCE GUIDE	14	OAK CD SMOKED OILED	96	OAK NOUVEAU GRAY	190	HARD MAPLE TORONTO	276	OAK ALE	380	OAK AURONZO	482
		OAK CD WHITE OILED	98	OAK NOUVEAU GREIGE	192	WALNUT HARTFORD	278	OAK PALE	382	OAK BRANCA	484
		OAK AB WHITE OILED	100	OAK NOUVEAU BLONDE	194	WALNUT MONTREAL	280	OAK BROWNIE	384	OAK PORDOI	486
		OAK CD MATT	102	OAK NOUVEAU RICH	196	JATOBA LA PAZ	282	OAK GRANITE	386		
WHITE FLOORS	16	OAK CD OILED	104	OAK NOUVEAU TAWNY	198			OAK LIMESTONE	388	ELEMENT COLLECTION	489
LIGHT FLOORS	18	OAK AB OILED	106	OAK NOUVEAU WHITE	200			OAK LAVA	390	OAK CINDER	490
NATURAL FLOORS	20			OAK NOUVEAU BLACK	202			OAK SHELL	392	OAK CRISP	492
GREY FLOORS	22	TRES COLLECTION	109	OAK NOUVEAU SNOW	204	NORDIC NATURALS		OAK DEW	394	OAK BRIGHT	494
BROWN FLOORS	24	OAK LECCO	110	OAK NOUVEAU LACE	206	COLLECTION	285	OAK SILK	396	OAK PURE	496
DARK FLOORS	26	OAK ABETONE	112			ASH GOTLAND	286				
		OAK PIMA	114	CAPITAL COLLECTION	209	BEECH VIBORG	288				
		OAK ERVE	116	OAK PARIS	210	ASH KALMAR	290				
LIFE COLLECTION	29	EUROPEAN MAPLE GOTHA	118	OAK DUBLIN	212			BEYOND RETRO COLLECTION	399	TEXTURE COLLECTION	499
OAK COCONUT CREAM	30	RED OAK NATURE	120	OAK BERLIN	214	SAND COLLECTION	293	OAK LOFT WHITE PLANK	400	OAK TEXTURE NATUR	500
OAK LIGHT SUEDE	32	ASH VAILA	122	OAK HONEY OAT	216	OAK RÜGEN	294	OAK FROSTED OAT PLANK	402	OAK TEXTURE WEISS	502
PURE OAK	34	OAK BISBEE	124	OAK PRAGUE	218	OAK VIGO	296	OAK URBAN BROWN PLANK	404		
OAK WHOLE GRAIN	36	ASH CERIALE	126			OAK TORUM	298	OAK FROZEN HAZELNUT PLANK	406	DA CAPO COLLECTION	505
OAK DRIFTWOOD	38	OAK SUPAI	128	EUROPEAN RENAISSANCE		OAK TARANTO	300	OAK PEARL GREY PLANK	408	OAK ROCCIA	506
OAK EARL GREY	40	OAK VANILLA	130	COLLECTION	221	OAK ESTORIL	302	OAK CHARCOAL LIGHT PLANK	410	OAK DUSSATO	508
OAK BUTTERSCOTCH	42	ASH POLAR	132	OAK PALAZZO BIANCO	222	OAK BRIGHTON	304			OAK DECORUM	510
OAK FADED BLACK	44	OAK REALBA	134	OAK PALAZZO FUMO	224	ASH FALSTERBO	306	ZEN COLLECTION	413	OAK DOMO	512
PURE WALNUT	46			OAK PALAZZO ROVERE	226	OAK GARMISCH	308	OAK WISDOM	414	OAK MAGGIORE	514
OAK COCOA BEAN	48	GROUND COLLECTION	137	OAK PALAZZO BIONDO	228	OAK PORTOFINO	310	OAK JOY	416	OAK INDOSSATI	516
		OAK SEED	138			OAK SORRENTO	312	OAK HAPPINESS	418	OAK UNICO	518
RUGGED COLLECTION	51	OAK CHALK	140	FOUNDERS COLLECTION	231	ASH SANDVIG	314	OAK CALM	420	OAK SPARUTO	520
OAK FOSSIL	52	ASH CORAL	142	OAK GUSTAF	232	ASH SKAGEN	316	OAK STRENGTH	422		
OAK CRATER	54	OAK CLAY	144	OAK STURE	234	OAK AMALFI	318			CHEVRON COLLECTION	523
OAK HUSK	56	OAK SAND	146	OAK FREDRIK	236	OAK SPRINGVIEW	320	SMÅLAND COLLECTION	425	OAK CHEVRON LIGHT BROWN	524
OAK SAFARI	58			OAK ULF	238	OAK NEWINGTON	322	OAK SEVEDE	426	OAK CHEVRON DARK BROWN	526
		CANVAS COLLECTION	149					OAK TVETA	428	OAK CHEVRON GREY	528
UNITY COLLECTION	61	OAK TUFT	150	GÖTALAND COLLECTION	241	LUX COLLECTION	325	OAK ASPELAND	430		
REEF OAK	62	OAK MOSTRA	152	OAK KILESAND	242	OAK SKY	326	OAK YDRE	432	ROYAL COLLECTION	531
PARK OAK	64	OAK MUSE	154	OAK ATTEBO	244	ASH FLOW	328	OAK MÖRE	434	OAK SANSSOUCI	532
		OAK REITER	156	OAK BODA	246	OAK AURORA	330	OAK FINNVEDEN	436	OAK CHILLON	534
MASTER HERRINGBONE	67	OAK TAPA	158			OAK HORIZON	332	OAK VEDBO	438	OAK BUCKINGHAM	536
COLLECTION		OAK CURIO	160	EUROPEAN NATURALS		OAK EGG SHELL	334	OAK VISTA	440	OAK SCHÖNBRUNN	538
OAK CD WHITE OILED	68	OAK CARBON	162	COLLECTION	249	OAK GHOST	336	OAK HANDBÖRD	442		
OAK AB DIM WHITE OILED	70	OAK CADENCE	164	OAK ROCHFORD	250	OAK COAST	338	OAK KLINTA	444	KÄHRS FLOOR PLANNER	540
OAK CC VINTAGE WHITE OILED	72	OAK FAWN	166	OAK ALBA	252	ASH STREAM	340			KÄHRS ESSENTIALS	542
OAK CC DIM WHITE OILED	74	OAK HEATHER	168	OAK COSENZA	254	OAK SHORE	342	BOARDWALK COLLECTION	447	KÄHRS ACADEMY	546
OAK CD SMOKED OILED	76	OAK HENNA	170	OAK STARNBERG	256	OAK CRAYON	344	OAK LUCE	448		
OAK AB WHITE OILED	80	OAK ETCH	172	OAK BURGUNDY	258	OAK BISCOTTI	346	OAK PALLIDO	450		
				OAK NICE	260	OAK RISE	348	OAK TRAMONTO	452		
STUDIO COLLECTION	83	CLASSIC COLLECTION	175	OAK VERONA	262	OAK SUN	350	OAK OMBRA	454		
OAK AB WHITE	84	CLASSIC WALNUT 1S	176	OAK HAMPSHIRE	264	OAK TERRA	352			ARTISAN COLLECTION	457
OAK AB NATURAL	86	CLASSIC OAK PLAINS	178	OAK CORNWALL	266			OAK CONCRETE	458	OAK CONCRETE	458
OAK CD	88	CLASSIC OAK DESERT	180	OAK SIENA	268	LUMEN COLLECTION	355	OAK OYSTER	460	OAK OYSTER	460
		CLASSIC OAK ARCTIC	182	OAK ARDENNE	270	OAK RIME	356	OAK LINEN	462	OAK LINEN	462
		CLASSIC OAK TUNDRA	184			OAK VAPOR	358	MAPLE CAROB	464	MAPLE CAROB	464
						OAK TWILIGHT	360	OAK EARTH	466	OAK EARTH	466
						OAK MIST	362	OAK TAN	468	OAK TAN	468
						OAK ECLIPSE	364	OAK STRAW	470	OAK STRAW	470
						OAK DIM	366	OAK CAMINO	472	OAK CAMINO	472
						OAK DAWN	368	OAK BUCKSKIN	474	OAK BUCKSKIN	474
						OAK DUSK	370				
						OAK GLOW	372				

A PASSION FOR PERFECTION

Few other design features can define or coordinate a home as well as a carefully chosen floor, which has the power to lift any interior. Our passion for wood floors is manifested in the outstanding design, technical performance, and high quality of our floors. We constantly explore new ways of perfecting – striving for the best, most beautiful, and sustainable wood floors in the world.

COVER: SANSSOUCI




WHY KÄHRS ENGINEERED WOOD FLOORING?



We have more than 160 years of experience working with wood. A large part of our wood floors is produced in Sweden and we are proud to say that all of the Swedish floors are climate-positive. Today we have more than 180 Nordic Swan Eco-labelled floors.

We also have a broad assortment of wood floors for all preferences. Regardless of colour, design, format, or surface treatment, we are convinced you'll find something you'll love. We use the best lacquer system available on

the market, on all our wood floors. This is to ensure an optimal balance between durable properties and the beautiful, natural look only found in a real wood floor. Our Woodloc® 5S click system ensures a quick and easy installation, and the multilayer construction – our invention – makes the floor climate stable throughout the year. Quality is close to our hearts, so we offer a long warranty on all our floors because we are so confident in their performance. This is our promise – Floors beyond expectations.



BEST CLIMATE STABILITY

The multi-layered engineered flooring board, originally invented by Kährs, ensures that the floor stays stable throughout climate variation. The natural and long-lasting beauty, combined with its user-friendly properties and ease of installation, has made this type of wood flooring the most preferred choice globally.



REFINED SURFACES

We offer many types of surface treatments that both enhance and protect the natural beauty of the wood. All our surface treatments are naturally free from solvents, formaldehyde, and isocyanate. The lacquer also makes the floor easy to clean and maintain.



WIDE RANGE OF COLOURS

Our wood floors come in many different wood species, sizes, patterns, and lacquers that provide endless variations and looks. Brushed, hand-scraped, bevelled, silky smooth or matt – each Kährs plank is individually treated, according to its own unique composition of knots and graining and the look we want to achieve.



FAST & SAFE INSTALLATION

Kährs offers three different joint systems depending on board construction. Kährs launched Woodloc® 5S – the evolution of the market-leading Woodloc® system, with which Kährs revolutionised the flooring industry in 2000.



UNDERFLOOR HEATING

All Kährs floors, except Beech and Hard Maple floors, are suitable for use with underfloor heating. When properly installed, you will achieve a beautiful and long-lasting wood floor with the increased comfort of underfoot warmth.



COMPLETE SYSTEM

We offer a complete system of flooring essentials, designed to ensure quality in every detail of the floor, ranging from installation products to maintenance and repair products as well as colour matched skirting and mouldings.

BEAUTY WITH A CONSCIENCE

When choosing a wood floor, you also make a great environmental choice, both for your indoor environment and for our planet. Kährs' inventions have radically changed the wood flooring industry globally, while also contributing to sustainable development.

We ensure that our operations are conducted sustainably and responsibly – by replanting forests and showing consideration for the environment in every step of our processes – and inspire others to do the same.



DESIGNED BY NATURE

Thanks to the natural, cellular structure of wood, hardwood floors keep your feet cosy on chilly days and comfortably cool on warm days. Wood was designed by nature to be a great insulator with thousands of air chambers per cubic inch. In fact, wood offers seven times better insulation than ceramic tiles and is much warmer than plastic laminate or thin vinyl floors. Naturally.

CLIMATE POSITIVE WOODEN FLOORS

Many architects and designers claim that wood is the building material of the future. There are many reasons for this. The most important, of course, is that it is more environmentally friendly than most other building materials. Wood is a material with the amazing ability to store carbon dioxide. Most of our wood floors are climate-positive, meaning that choosing a wood floor is not only a good thing for yourself, but also for our planet.



THE NORDIC SWAN

The Nordic Swan Ecolabel is one of the most comprehensive and rigorous product certifications in the world. The Nordic Swan Ecolabel criteria includes the restriction of environmentally hazardous chemicals and emissions to air, water and land, plus requirements around energy and resource use and waste management. The label also places demands on good quality and function. Kährs is today proud to have more than 180 Nordic Swan Ecolabelled floors.

A GROWING RESOURCE


Kährs works in close cooperation with forestry officials and NGO's towards a sustainable forest supply, for both today and for future generations. In Sweden – where we purchase most of our raw material – the forests are more than 60% larger in standing volume than 100 years ago.

HOW TO CHOOSE A FLOOR

Our best advice when it comes to choosing a wood floor? Go with your heart. However, there are some important aspects to consider in the selection process, and to help, we have compiled a short checklist to guide you. The best thing to do is to visit one of our retailers, as nothing beats seeing and feeling our floors to get a true grasp of their design features.

LACQUER OR OIL?

In general, a lacquered surface reflects the light more than an oiled one. An exception to this rule is wood treated with our ultra-matt lacquer – which makes the floor feel and look as if it was made from untreated, newly sawn timber.



EGGSHELL



☀ SATIN LACQUER

Our satin lacquer complements the wood's character by accentuating its natural structure. It also makes the floor more hardwearing and easier to clean. Our lacquer is one of the thinnest on the market and does not conceal the natural lustre of the wood.



● MATT LACQUER

The subtleness of our matt lacquer produces a bare wood look, as if the floor was left untreated, or treated with oil. The soft, natural surface is pleasant to walk barefoot on. Matt lacquer is as hardwearing and easy to maintain as our satin lacquer. A matt surface is more textured than a satin surface.



○ ULTRA-MATT LACQUER

Wood treated with our ultra-matt lacquer feels and looks as if it was made from untreated, newly sawn timber, but with strong, yet silky and invisible shield against wear and tear. The ultra-matt surface is more textured than a matt surface.



☼ OIL

Kährs oil gives your floor a natural and beautiful look. Oil brings out the fine structure and grain of the wood and enhances its natural colour. Please note that floors should be oiled immediately after installation and then regularly maintained with Kährs Satin Oil.



DESIGN FOR ALL SENSES

The impression of the floor is made up of what you see, as well as what you feel. Many of our floor designs include surfaces that have been handscraped and/or brushed to create a unique patina that speaks to several of your senses. The look can be further enhanced by planks with bevelled edges.



🪵 BRUSHING

Brushing the surface highlights the natural structure of the grain, and emphasizes the texture of the wood. Brushing effects vary, depending on the wood species.



🎨 STAINING

Staining further enhances the wood's natural colour tones. It also allows us to apply new colours, thus completely transforming the appearance of the wood. Kährs offers a wide range of stained options – from the palest white to rich charcoal shades.




🌫 SMOKED

This special process alters the colour and shade of each plank. There are two grades of smoked finish: a lightly smoked treatment and the darker, more dramatic, fully smoked treatment.



🔪 BEVELLING

A bevelled edge feature on a 1-strip floor gives a very distinct look, highlighting the shape of the plank. From microbeveling – a discreet reinforcement of the edges – to a more prominent beveling on both the long and the short sides.



🪵 HANDSCRAPING

By using different tools for manual wood scraping and sanding, we can give a new wood floor a worn appearance. A great amount of handcraft goes into each floor to achieve its rustic character.



NOUVEAU GRAY

INSTALL IN THE DIRECTION OF THE LIGHT

What type of light is there in the room? The size of the windows, the amount of natural light, artificial lighting sources, and the direction of the light all affect the perception of the floor. The general rule is to install the floor lengthwise towards the window. If the room is long and narrow with windows placed lengthwise, you will have to choose what you feel is more important to accentuate – the shape or light.

CONSIDER THE SETTING

When installing a new floor, there are several features of the room that are important to consider. Installing your floor lengthwise will accentuate the shape of the room. Meanwhile, light floors coupled with light walls will enhance the sense of space, while a dark floor will ground the room. Dark floors combined with dark walls diminish the room – but can bring warmth and cosiness.



NOUVEAU BLONDE

CLEAN OR RUSTIC?

Clean, calm and elegant – or rustic, rich in patina, knots and cracks? Kährs offers a selection of different gradings, each with a unique character. Grading depends on which part of the log is used when producing individual boards. We also use many types of surface treatments to create a wide diversity of styles.



SEVEDE



1
DUBLIN



CALM

These floors are produced from our cleanest boards, featuring a uniform appearance with small variations in grain. They may contain small knots.



VARIATION

The floors with this grading are characterized by subtle variations in colour, tone and pattern. They may contain small knots.



LIVELY

Lively floors feature dramatic graining, gnarls and knots. They boast greater colour variations and have a more lively, rustic character.



DYNAMIC

These floors are made from boards with knots and cracks that give them simultaneously a lively and dramatic, yet warm, character. They feature a variety of colour tones.




EXPRESSIVE

If you want your floor to make a strong impression, choose an Expressive floor. These are made from boards with dramatic cracks and powerful knots and with a wide variety of colour tones.



SAP WOOD


The sap wood comes from the outer part of the log and is often in a lighter hue than the inner parts. It's a natural variation in the wood and a natural part of most of our wood floors.



3
SIENA

SIZE MATTERS

The sense of space in a room is affected by the width and length of the planks, as well as the strip pattern of the floor. As a general rule, choose 1- or 2-strip floors for large rooms and 3-strip floors for smaller rooms. Wide and long planks may be best suited for a larger space.



1-strip 2-strip 3-strip Dutch Pattern

CONSTRUCTION



3-LAYER FLOORING

Our 3-layer floors consist of a surface layer, core layer and backing. The core material is made from pine/spruce lamella. The total thickness of the floor is at least 10 mm. The surface layer can be re-sanded 3-4 times. Our 3-layer floors can be both installed floating on a level, solid surface such as concrete, particleboard or wood with suitable underlayer material, or with glued down installation. They are quickly and easily installed with the glueless Woodloc® system and are suitable for areas with light to moderate traffic.



2-LAYER FLOORING

The 2-layer floors consist of a surface layer and backing. The core material is made from pine/spruce lamella. The total thickness of the floor is 9-11 mm. The surface layer can be re-sanded 2 times. Our 2-layer floors are installed glued down with full surface bonding. They are suitable for areas with light to moderate traffic.




3-LAYER VENEER FLOORING

Our veneer flooring consists of three layers; surface, core and backing. The core is made from HDF and the surface from real wood. The total thickness is 7-10 mm, where 7 mm is not sandable. 10 mm has the added benefit of being sandable. Thanks to the thin construction, veneer floors are perfect for renovation since they go with existing thresholds and doors. Our latest collection of veneer floors, the Life Collection, is so durable it's even made to last in commercial use.

BOARD REFERENCE GUIDE

A benefit of Kährs hardwood floors is our long board lengths. Most products, when stood on end, would be taller than the average person.



WHITE FLOORS

Wood floors in shades of misty, cloudy white create an immediate sense of tranquillity in any interior. Our range includes floors featuring different designs, from 1-strip to 3-strip, with different surface treatments; from oiled to lacquered.



PALE



OAK NOUVEAU BLONDE



OAK NOUVEAU LACE



FLOW



ASH CORAL



FALSTERBO



SANDVIG



OAK BUCKINGHAM



OAK PALAZZO BIONDO



OAK PALAZZO BIANCO



LOCATELLI



OAK NOUVEAU SNOW



RIME



VAPOR



LIMESTONE



ESTORIL



LUCE



SKAGEN



OAK CD WHITE GREY



PALLIDO



MENTON



SHELL




CREME



OAK COCONUT CREAM



HORIZON




OAK AB WHITE



DEW



AMALFI



OAK AB DIM WHITE



EGGSHELL



OAK CHALK



OYSTER



GHOST



FROSTED OAT



LOFT WHITE

LIGHT FLOORS

Relaxed, yet refined, light wood floors create a perfect canvas for your furniture. They also add instant light to any interior. Our light floors come in a wide variety of shades, from floors with crisp, cool starkness, to warmer shades.



ASPELAND



OAK PARIS



KLINTA



OAK VANILLA



VISTA



OAK CD NATURAL OILED



BODA



OAK ERVE



WHOLE GRAIN



OAK ABETONE




CIRRUS



BRIGHTON



COMICI



YDRE



OAK HENNA




LINEN



PORTOFINO



OAK AB WHITE OILED



LIGHT SUEDE



DAWN



AURONZO



BUTTERSCOTCH



URBAN BROWN



STUDIO OAK AB WHITE



OAK ETCH



WHOLE GRAIN

NATURAL FLOORS

A true classic, a natural oak wood floor will add a sense of warmth and natural beauty to your home. Depending on the design, they can be lively or calm, rustic or elegant.



AALAND



ASH VAILA



ASH GOTLAND



ASH CERIALE



KALMAR



MAPEL TORONTO



VIBORG



PURE WALNUT



RED OAK NATURE



CHERRY SAVANNAH



HARTFORD




MONTREAL



GEORGIA



PURE WALNUT



STRAW



OAK LECCO



OAK DUBLIN



VERONA



BURGUNDY



CORNWALL



HAMPSHIRE



STUDIO OAK CD



STUDIO OAK AB



SIENNA



ARDENNE



OAK SCHÖNBRUNN




OAK AB NATURAL OILED



STUDIO OAK CC



OAK PALAZZO ROVERE



TAN



CAMINO



VEDBO



SUN



PURE OAK

GREY FLOORS

One of the latest trends in wood flooring is grey – from shades of driftwood to charcoal. Grey coloured floors are made to look like they have aged over the years, creating a unique and warm patina.



STREAM



DIM



TWILIGHT




MIST



COAST



INDOSSATI



OAK CHILLON



SHORE



OAK SAND



MÖRE



DECORUM



PRAGUE



OAK NOUVEAU WHISPER



SORRENTO



KILESAND



BISCOTTI



CRAYON



HANDBÖRD



OAK NOUVEAU WHITE



OAK NOUVEAU GRAY



FROZEN HAZELNUT



OAK HEATHER



ECLIPSE



STURE



DRIFTWOOD



OAK SEED



OAK BERLIN



PORDOI



EARL GRAY



OAK CD GREY



STUDIO OAK CC M GREY



STONE



CONCRETE



GRANITE



GREY



ALLOY



OAK CARBON



PEARL GREY



OAK CLAY

BROWN FLOORS

Nothing can create instant warmth quite like a brown wood floor. The rich, earthy tones of amber and tobacco create a perfect backdrop for both traditional and contemporary interiors.



FINNVEDEN



OAK PIMA



SEVEDE



CHEVRON LIGHT BROWN



OAK CD SMOKED



MAGGIORI



SPARUTO



DOMO



UNICO



OAK SANSSOUCI



OAK TUFT



OAK BISBEE



FREDRIK



BRANCA



TRAMONTO



HERRINGBONE SMOKED OAK CD



BACKA



ALE




EARTH



OAK PALAZZO FUMO



OMBRA



TERRA



DUSK



GLOW



PALAZZO FUMO

DARK FLOORS

Dark wood floors create a solid ground. They bring a sense of sophistication and richness to the interior.



FADED BLACK



SMOKED OAK AB OILED



COCOA BEAN



OAK NOUVEAU GRIÈGE



OAK NOUVEAU RICH



DARK BROWN




CHARCOAL LIGHT



SOIL



TVETA



ULF




BROWNIE



ATTEBO



OAK SUPAI



OAK CURIO



STUDIO SMOKED OAK AB



LAVA



OAK NOUVEAU TAWNY



OAK NOUVEAU BLACK



TAWNY



LAVA



TVETA




KÄHRS LIFE COLLECTION

The Life Collection features a range of wide plank, narrow plank, and 2-strip floors, in trendy colors ranging from light to dark. Made for everything from home installs to commercial use, these floors provide the best of both worlds: a beautiful hardwood floor with properties close to LVT - all at a cost-conscious price point.

- Innovative Lacquer
- Real Wood Layer
- Woodloc® 5G Joint
- High Quality HDF
- Real Wood Backing





OAK COCONUT CREAM

Article number	Wide: LTCLRW3001-150 Narrow: LTCLRW3001-118 2-Strip: LTCLRW3001-193
EAN code	Wide: 7393969107389 Narrow: 7393969107372 2-Strip: 7393969107396
Product Range	Kährs Life
Product type	Wood Flooring
Construction	3-layer veneer
Design	1-strip and 2-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided (1-strip)
Grading	Calm

Wear layer material	Hardwood
Wear layer mm	0.6
Core material	HDF
Backside material	Veneer
Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	15 years



LIFE COLLECTION | COCONUT CREAM | WIDE PLANK



LIFE COLLECTION | COCONUT CREAM | NARROW PLANK



LIFE COLLECTION | COCONUT CREAM | 2-STRIP



COCONUT CREAM | WIDE PLANK

OAK LIGHT SUEDE

Article number	Wide: LTCLRW3002-150 Narrow: LTCLRW3002-118 2-Strip: LTCLRW3002-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107419 Narrow: 7393969107402 2-Strip: 7393969107426	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | LIGHT SUEDE | WIDE PLANK



LIFE COLLECTION | LIGHT SUEDE | NARROW PLANK



LIFE COLLECTION | LIGHT SUEDE | 2-STRIP

PURE OAK

Article number	Wide: LTCLR3003-150 Narrow: LTCLR3003-118 2-Strip: LTCLR3003-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107440 Narrow: 7393969107433 2-Strip: 7393969107457	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



OAK WHOLE GRAIN

Article number	Wide: LTCLRW3004-150 Narrow: LTCLRW3004-118 2-Strip: LTCLRW3004-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107471 Narrow: 7393969107464 2-Strip: 7393969107488	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | WHOLE GRAIN | WIDE PLANK



LIFE COLLECTION | WHOLE GRAIN | NARROW PLANK



LIFE COLLECTION | WHOLE GRAIN | 2-STRIP

OAK DRIFTWOOD

Article number	Wide: LTCLRW3005-150 Narrow: LTCLRW3005-118 2-Strip: LTCLRW3005-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107501 Narrow: 7393969107495 2-Strip: 7393969107518	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | DRIFTWOOD | WIDE PLANK



LIFE COLLECTION | DRIFTWOOD | NARROW PLANK



LIFE COLLECTION | DRIFTWOOD | 2-STRIP

OAK EARL GREY

Article number	Wide: LTCLR3006-150 Narrow: LTCLR3006-118 2-Strip: LTCLR3006-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107532 Narrow: 7393969107525 2-Strip: 7393969107549	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | EARL GREY | WIDE PLANK



LIFE COLLECTION | EARL GREY | NARROW PLANK



LIFE COLLECTION | EARL GREY | 2-STRIP

OAK BUTTERSCOTCH

Article number	Wide: LTCLRW3007-150 Narrow: LTCLRW3007-118 2-Strip: LTCLRW3007-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107563 Narrow: 7393969107556 2-Strip: 7393969107570	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | BUTTERSCOTCH | WIDE PLANK



LIFE COLLECTION | BUTTERSCOTCH | NARROW PLANK



LIFE COLLECTION | BUTTERSCOTCH | 2-STRIP

OAK FADED BLACK

Article number	Wide: LTCLRW3008-150 Narrow: LTCLRW3008-118 2-Strip: LTCLRW3008-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107594 Narrow: 7393969107587 2-Strip: 7393969107600	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | FADED BLACK | WIDE PLANK



LIFE COLLECTION | FADED BLACK | NARROW PLANK



LIFE COLLECTION | FADED BLACK | 2-STRIP

PURE WALNUT

Article number	Wide: LTCLRW3010-150 Narrow: LTCLRW3010-118 2-Strip: LTCLRW3010-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107624 Narrow: 7393969107617 2-Strip: 7393969107631	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7, Wide 1225 X 118 X 7, Narrow 1225 X 193 X 7, 2-strip
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years



LIFE COLLECTION | PURE WALNUT | WIDE PLANK



LIFE COLLECTION | PURE WALNUT | NARROW PLANK



LIFE COLLECTION | PURE WALNUT | 2-STRIP

OAK COCOA BEAN

Article number	Wide: LTCLRW3011-150 Narrow: LTCLRW3011-118 2-Strip: LTCLRW3011-193	Wear layer material	Hardwood
EAN code	Wide: 7393969107655 Narrow: 7393969107648 2-Strip: 7393969107662	Wear layer mm	0.6
Product Range	Kährs Life	Core material	HDF
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer veneer	Dimensions mm	1810 X 150 X 7
Design	1-strip	Area per Package m²	Wide: 3.258. Narrow: 1.74 2-strip: 2.832
Surface treatment	Matt lacquer	Area per Pallet m²	W: 175.932. N: 104.4. 2-strip: 113.28
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	15 years






KÄHRS RUGGED COLLECTION

The rugged Collection includes five floors of different hues, united by their rustic and rugged appearance, achieved through a hand crafted surface finish. They provide a substantial, solid feel to your interior. Whether you are going for that rustic cabin vibe or intend to decorate in a French farmhouse style, a floor from the rugged Collection is a great way to add finishing detail to your interior.



Plank


Rugged Collection



1830 X 125 X 10



FOSSIL



CRATER




HUSK



SAFARI

OAK FOSSIL

Article number	101P8HEKFHKW180	Wear layer material	Hardwood
EAN code	7393969043823	Wear layer mm	1.9
Product Range	Kährs Spirit	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer	Dimensions mm	1830 X 125 X 10
Design	1-strip	Area per Package m²	1.83
Surface treatment	Oil	Area per Pallet m²	89.67
Natural or stained	Stained	Locking system	Woodloc®
Design features	Microbevelled 4-sided, Brushed, Light smoked, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	20 years




OAK CRATER

Article number	101P8HEKFCKW180	Wear layer material	Hardwood
EAN code	7393969043830	Wear layer mm	1.9
Product Range	Kährs Spirit	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer	Dimensions mm	1830 X 125 X 10
Design	1-strip	Area per Package m²	1.83
Surface treatment	Oil	Area per Pallet m²	89.67
Natural or stained	Natural	Locking system	Woodloc®
Design features	Microbevelled 4-sided, Brushed, Smoked, Hand-scraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	20 years



OAK HUSK

Article number	101P8HEKF0KW180	Wear layer material	Hardwood
EAN code	7393969043816	Wear layer mm	1.9
Product Range	Kährs Spirit	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer	Dimensions mm	1830 X 125 X 10
Design	1-strip	Area per Package m²	1.83
Surface treatment	Oil	Area per Pallet m²	89.67
Natural or stained	Natural	Locking system	Woodloc®
Design features	Microbevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	20 years



OAK SAFARI

Article number	101P8QEKFKW180	Wear layer material	Hardwood
EAN code	7393969043809	Wear layer mm	1.9
Product Range	Kährs Spirit	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer	Dimensions mm	1830 X 125 X 10
Design	1-strip	Area per Package m²	1.83
Surface treatment	Oil	Area per Pallet m²	89.67
Natural or stained	Natural	Locking system	Woodloc®
Design features	Microbevelled 4-sided, Smoked, Saw marks	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	20 years





REEF OAK

KÄHRS UNITY COLLECTION

The Unity Collection features a range of smooth and lacquered floors that are perfect for city slickers. These floors have been brushed and stained in a wide range of colours, from light to dark.



Plank

Unity Collection

1830 X 125 X 10



REEF



PARK

REEF OAK

Article number	101P3AEK09KW180	Wear layer material	Hardwood
EAN code	7393969030601	Wear layer mm	1.9
Product Range	Kährs Spirit	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer	Dimensions mm	1830 X 125 X 10
Design	1-strip	Area per Package m²	1.83
Surface treatment	Matt lacquer	Area per Pallet m²	89.67
Natural or stained	Natural	Locking system	Woodloc®
Design features	Bevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	20 years



PARK OAK

Article number 101P6AEK09KW180
EAN code 7393969030595
Product Range Kährs Spirit
Product type Wood Flooring
Construction 3-layer
Design 1-strip
Surface treatment Matt lacquer
Natural or stained Natural
Design features Bevelled 4-sided, Brushed
Grading Lively

Wear layer material Hardwood
Wear layer mm 1.9
Core material Softwood
Backside material Veneer
Dimensions mm 1830 X 125 X 10
Area per Package m² 1.83
Area per Pallet m² 89.67
Locking system Woodloc®
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years





OAK CD


KÄHRS STUDIO COLLECTION

Seven different designs make up the Studio Collection – from even grained Hard Maple to rich toned Oak Smoked.




Plank

Studio Collection



70 x 490 x 11



OAK AB WHITE




OAK AB NATURAL



OAK CD NATURAL

OAK AB WHITE

Article number	White matt laquered. 111PABEK0VKE050 White natural oiled. 111PABEKFVKE050	Wear layer material	Hardwood
EAN code	White matt laquered. 7393969042239 White natural oiled. 7393969042383	Wear layer mm	4
Product Range	Kährs Studio	Core material	Pine
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	490 X 70 X 11
Design	1-strip	Area per Package m²	2,1
Surface treatment	Matt laquered, oiled	Area per Pallet m²	123,6
Natural or stained	Stained	Locking system	Tongue & Groove
Design features		Installation method	Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years




OAK AB NATURAL

Article number	Matt laquered. 111PABEK09KE050 Natural oiled. 111PABEKF0KE050	Wear layer material	Hardwood
EAN code	Matt laquered. 7393969042130 Natural oiled. 7393969042055	Wear layer mm	4
Product Range	Kährs Studio	Core material	Pine
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	490 X 70 X 11
Design	1-strip	Area per Package m²	2,1
Surface treatment	Matt laquered, oiled	Area per Pallet m²	123,6
Natural or stained	Natural	Locking system	Tongue & Groove
Design features		Installation method	Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



OAK CD

Article number	Matt laquered. 111PCDEK09KH050 Natural oiled. 111PCDEKF0KH050	Wear layer material	Hardwood
EAN code	Matt laquered. 7393969042031 Natural oiled. 7393969042048	Wear layer mm	4
Product Range	Kährs Studio	Core material	Pine
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	490 X 70 X 11
Design	1-strip	Area per Package m²	2,1
Surface treatment	Matt laquered, oiled	Area per Pallet m²	123,6
Natural or stained	Natural	Locking system	Tongue & Groove
Design features		Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years





OAK CD GREY

KÄHRS MASTER HERRINGBONE COLLECTION

From early times on the roads of the Roman Empire to being stitched into modern geometric clothing, the pattern has been a design constant for centuries.



Plank	Master Herringbone Collection	<input type="text"/>	120 X 600 X 11 MM
-------	-------------------------------	----------------------	-------------------



OAK CC DIM WHITE OILED



OAK CD GREY OILED



OAK CD SMOKED OILED




OAK AB DIM WHITE OILED



OAK AB WHITE OILED



OAK CD WHITE OILED




OAK CC VINTAGE WHITE OILED

HERRINGBONE COLLECTION

OAK CD WHITE OILED

Article number	111PCDEKFKVE16L, 111PCDEKFKVE16R
EAN code	7393969300742
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	Pattern
Surface treatment	Oil
Natural or stained	Stained
Design features	Brushed, Microbevelled 4-sided
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	600 X 120 X 11
Area per Package m²	2.304
Area per Pallet m²	96.768
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years



HERRINGBONE COLLECTION

OAK AB DIM WHITE OILED

Article number	111PABEKDWKE16L, 111PABEKDWKE16R	Wear layer material	Hardwood
EAN code	7393969300636	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	600 X 120 X 11
Design	Pattern	Area per Package m²	2.304
Surface treatment	Oil	Area per Pallet m²	96.768
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Brushed, Microbevelled 4-sided	Installation method	Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



HERRINGBONE COLLECTION

OAK CC VINTAGE WHITE OILED

Article number	111PCCEKFWKE16L, 111PCCEKFWKE16R	Wear layer material	Hardwood
EAN code	7393969300698	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	600 X 120 X 11
Design	Pattern	Area per Package m²	2.304
Surface treatment	Oil	Area per Pallet m²	96.768
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Brushed, Saw marks, Light smoked, Microbevelled 4-sided	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years




HERRINGBONE COLLECTION

OAK CC DIM WHITE OILED

Article number	111PCCEKDWKE16L, 111PCCEKDWKE16R
EAN code	7393969300674
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	Pattern
Surface treatment	Oil
Natural or stained	Stained
Design features	Brushed, Microbevelled 4-sided
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	600 X 120 X 11
Area per Package m²	2.304
Area per Pallet m²	96.768
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years




HERRINGBONE COLLECTION

OAK CD SMOKED OILED

Article number	111PCDEKFAKE16L, 111PCDEKFAKE16R
EAN code	7393969300711
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	Pattern
Surface treatment	Oil
Natural or stained	Stained
Design features	Brushed, Saw marks, Smoked, Microbevelled 4-sided
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	600 X 120 X 11
Area per Package m²	2.304
Area per Pallet m²	96.768
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years



HERRINGBONE COLLECTION

OAK CD GREY OILED

Article number	111PCDEKFIKE16L, 111PCDEKFIKE16R
EAN code	7393969300735
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	Pattern
Surface treatment	Oil
Natural or stained	Stained
Design features	Brushed, Light smoked, Microbevelled 4-sided
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	600 X 120 X 11
Area per Package m²	2.304
Area per Pallet m²	96.768
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years




HERRINGBONE COLLECTION

OAK AB WHITE OILED

Article number	111PABEKFVKE16L, 111PABEKFVKE16R
EAN code	7393969300643
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	Pattern
Surface treatment	Oil
Natural or stained	Stained
Design features	Brushed, Microbevelled 4-sided
Grading	Calm

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	600 X 120 X 11
Area per Package m²	2.304
Area per Pallet m²	96.768
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years






OAK CD SMOKED BROWN OILED

KÄHRS PIAZZA COLLECTION

Harmony - the comfort of home, with its warm, nurturing atmosphere. A place to retreat, awash with mellow tones that calm the body and soul. The subtle, rich tones of Kährs Harmony Collection are designed to complement all interior styles and to create a sense of well-being



Plank	Harmony Collection	<input type="text"/>	1800 X 180 X 11
-------	--------------------	----------------------	-----------------



OAK CD SMOKED BROWN OILED

Article number	111PCDEKFBKE180	Wear layer material	Hardwood
EAN code	7393969045995	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	1800 X 180 X 11
Design	1-strip	Area per Package m²	2.59
Surface treatment	Oil	Area per Pallet m²	103.6
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years




OAK CD SMOKED GREY OILED

Article number	111PCDEKFIKE180	Wear layer material	Hardwood
EAN code	7393969046008	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	1800 X 180 X 11
Design	1-strip	Area per Package m²	2.59
Surface treatment	Oil	Area per Pallet m²	103.6
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed, Light smoked	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years

TRY OAK CD SMOKED GREY IN THE FLOOR PLANNER

We developed a digital floor planner to help you choose the right, and best looking floor for your home. It allows you to quickly and easily upload an image of your interior, and then simply browse around our broad portfolio of floors and try them out until you find your favourite. This technology enables you to get a real impression of what the floor will look like in your home or project.



OAK CD SMOKED OILED

Article number		Wear layer material	Hardwood
EAN code	7393969042123	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	1800 X 180 X 11
Design	1-strip	Area per Package m²	2.59
Surface treatment	Oil	Area per Pallet m²	103.6
Natural or stained	Natural	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK CD WHITE OILED

Article number	111PCDEKFKVE180
EAN code	7393969042116
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	1800 X 180 X 11
Area per Package m²	2.59
Area per Pallet m²	103.6
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years




OAK AB WHITE OILED

Article number	111PABEKFVKE180	Wear layer material	Hardwood
EAN code	7393969042086	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	1800 X 180 X 11
Design	1-strip	Area per Package m²	2.59
Surface treatment	Oil	Area per Pallet m²	103.6
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed	Installation method	Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years

TRY OAK AB WHITE IN THE FLOOR PLANNER

We developed a digital floor planner to help you choose the right, and best looking floor for your home. It allows you to quickly and easily upload an image of your interior, and then simply browse around our broad portfolio of floors and try them out until you find your favourite. This technology enables you to get a real impression of what the floor will look like in your home or project.




OAK CD MATT

Article number	111PCDEK09KE180	Wear layer material	Hardwood
EAN code	7393969042093	Wear layer mm	3.6
Product Range	Kährs Master	Core material	Plywood
Product type	Wood Flooring	Backside material	N/A
Construction	2-layer parquet	Dimensions mm	1800 X 180 X 11
Design	1-strip	Area per Package m²	2.59
Surface treatment	Matt lacquer	Area per Pallet m²	103.6
Natural or stained	Natural	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years

TRY OAK CD IN THE FLOOR PLANNER

We developed a digital floor planner to help you choose the right, and best looking floor for your home. It allows you to quickly and easily upload an image of your interior, and then simply browse around our broad portfolio of floors and try them out until you find your favourite. This technology enables you to get a real impression of what the floor will look like in your home or project.



OAK CD OILED

Article number	111PCDEKFOKE180
EAN code	7393969042109
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Natural
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	1800 X 180 X 11
Area per Package m²	2.59
Area per Pallet m²	103.6
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years



OAK AB OILED

Article number	111PABEKFOKE180
EAN code	7393969042079
Product Range	Kährs Master
Product type	Wood Flooring
Construction	2-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Natural
Design features	Microbevelled 4-sided, Brushed
Grading	Calm

Wear layer material	Hardwood
Wear layer mm	3.6
Core material	Plywood
Backside material	N/A
Dimensions mm	1800 X 180 X 11
Area per Package m²	2.59
Area per Pallet m²	103.6
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years






OAK LECCO

KÄHRS TRES COLLECTION

Produced from European wood species and designed to last. In a world where we strive to use scarce resources efficiently, Tres Collection, with its total thickness of 13 mm, sets a new standard for quality wood flooring without compromising on the design.



Strip Tres Collection 200 X 2423 X 13 MM



OAK LECCO

Article number	Matt: 133NABEK15KW240 Ultra matt: 133N1BEK04KW240 Satin: 133NABEK50KW240 Oil: 133NABEKFOKW240	Wear layer material	Hardwood
EAN code	Matt: 7393969034159 Ultra matt: 7393969302296 Satin: 7393969034166 Oil: 7393969034197	Wear layer mm	2.6
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 13
Design	3-strip	Area per Package m²	3.4
Surface treatment	Matt lacquer, Satin lacquer, Oil, ultra matt	Area per Pallet m²	170
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	20 years



OAK ABETONE

Article number	Matt: 133NABEK1VKW240 Oil: 133NABEKFKW240	Wear layer material	Hardwood
EAN code	Matt: 7393969034142 Oil: 7393969037426	Wear layer mm	2.6
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 13
Design	3-strip	Area per Package m²	3.4
Surface treatment	Oil, Matt lacquer	Area per Pallet m²	170
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	20 years



OAK PIMA

Article number 133NABEK7CUW240
EAN code 7393969034173
Product Range Kährs Avanti
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment High gloss lacquer
Natural or stained Stained
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 13
Area per Package m² 3.4
Area per Pallet m² 170
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years



OAK ERVE

Article number	Oil: 133NCDEKF0KW240 Matt: 133NCDEK15KW240	Wear layer material	Hardwood
EAN code	Oil: 7393969034258 Matt: 7393969034234	Wear layer mm	2.6
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 13
Design	3-strip	Area per Package m²	3.4
Surface treatment	Oil, Matt lacquer	Area per Pallet m²	170
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	None	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	20 years



EUROPEAN MAPLE GOTHA

Article number 133N18EL50KW240
EAN code 7393969034906
Product Range Kährs Avanti
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Satin lacquer
Natural or stained Natural
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 13
Area per Package m² 3.4
Area per Pallet m² 170
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating No
Warranty 20 years



RED OAK NATURE

Article number 133NACER50KW240
EAN code 7393969034227
Product Range Kährs Avanti
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Satin lacquer
Natural or stained Natural
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 13
Area per Package m² 3.4
Area per Pallet m² 170
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years



ASH VAILA

Article number	133NACAK50KW240
EAN code	7393969034210
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Satin lacquer
Natural or stained	Natural
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 13
Area per Package m²	3.4
Area per Pallet m²	170
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



OAK BISBEE

Article number	133NABEK5MUW240
EAN code	7393969034180
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Satin lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 13
Area per Package m²	3.4
Area per Pallet m²	170
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



ASH CERIALE

Article number	133NACAK1VKW240
EAN code	7393969034203
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 13
Area per Package m²	3.4
Area per Pallet m²	170
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



OAK SUPAI

Article number	133NABEK5LUW240
EAN code	7393969034135
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Satin lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 13
Area per Package m²	3.4
Area per Pallet m²	170
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



OAK VANILLA

Article number 133NABEKW5KW240
EAN code 7393969302180
Product Range Kährs Avanti
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Matt lacquer
Natural or stained Stained
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 13
Area per Package m² 3.4
Area per Pallet m² 170
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years



ASH POLAR


Article number	133B31AKVPKW226
EAN code	7393969047807
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 188 X 13
Area per Package m²	3.41
Area per Pallet m²	119.35
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



OAK REALBA

Article number	133BCDEK15KW226	Wear layer material	Hardwood
EAN code	7393969047708	Wear layer mm	2.6
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 188 X 13
Design	3-strip	Area per Package m²	3.41
Surface treatment	Matt lacquer	Area per Pallet m²	119.35
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	None	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	20 years






ASH CORAL

KÄHRS GROUND COLLECTION

Inspired by natural colors found in nature. Ranging from white chalk to darker clay or seed and soil. A collection in harmony with nature and colors that will last.



Strip	Ground Collection		188 X 2266 X 13
-------	-------------------	---	-----------------



ASH CORAL

OAK CHALK

OAK SAND

OAK SEED

OAK CLAY

OAK SEED

Article number	133B14EKHNKW226
EAN code	7393969048422
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 188 X 13
Area per Package m²	3.41
Area per Pallet m²	119.35
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



OAK CHALK

Article number	133B14EKLCKW226
EAN code	7393969048415
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 188 X 13
Area per Package m²	3.41
Area per Pallet m²	119.35
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



ASH CORAL


Article number	133B11AKLCKW226
EAN code	7393969048392
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 188 X 13
Area per Package m²	3.41
Area per Pallet m²	119.35
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



OAK CLAY

Article number	133B14EKHGKW226	Wear layer material	Hardwood
EAN code	7393969048439	Wear layer mm	2.6
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 188 X 13
Design	3-strip	Area per Package m²	3.41
Surface treatment	Matt lacquer	Area per Pallet m²	119.35
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	20 years



OAK SAND

Article number	133B22EK1KKW226
EAN code	7393969048408
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 188 X 13
Area per Package m²	3.41
Area per Pallet m²	119.35
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years

















OAK HEATHER

KÄHRS CANVAS COLLECTION

Explore color with the new Canvas Collection. A animated array of on trend colors that add and enhance any designer's artistic palette.



Plank	Canvas Collection		127 X 1860 X 13 MM
			
OAK ETCH	OAK TUFT	OAK HENNA	OAK MOSTRA
			
OAK MUSE	OAK REITER	OAK TAPA	OAK CADENCE
			
OAK HEATHER	OAK CARBON	OAK CURIO	OAK FAWN

OAK TUFT

Article number	13106AEK1BKW185	Wear layer material	Hardwood
EAN code	7393969043229	Wear layer mm	3
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1860 X 127 X 13
Design	1-strip	Area per Package m²	1.652
Surface treatment	Matt lacquer	Area per Pallet m²	104.076
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	25 years



OAK MOSTRA

Article number	13106AEK1VKW185
EAN code	7393969043182
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3
Core material	Softwood
Backside material	Veneer
Dimensions mm	1860 X 127 X 13
Area per Package m²	1.652
Area per Pallet m²	104.076
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	25 years



OAK MUSE

Article number	13103AEK1VKW185
EAN code	7393969043120
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3
Core material	Softwood
Backside material	Veneer
Dimensions mm	1860 X 127 X 13
Area per Package m²	1.652
Area per Pallet m²	104.076
Locking system	Woodloc®
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	25 years



OAK REITER

Article number	13103AEK1UKW185	Wear layer material	Hardwood
EAN code	7393969043113	Wear layer mm	3
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1860 X 127 X 13
Design	1-strip	Area per Package m²	1.652
Surface treatment	Matt lacquer	Area per Pallet m²	104.076
Natural or stained	Stained	Locking system	Woodloc®
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	25 years



OAK TAPA

Article number 13103AEK15KW185
EAN code 7393969043144
Product Range Kährs Avanti
Product type Wood Flooring
Construction 3-layer parquet
Design 1-strip
Surface treatment Matt lacquer
Natural or stained Natural
Design features Microbevelled 4-sided
Grading Calm

Wear layer material Hardwood
Wear layer mm 3
Core material Softwood
Backside material Veneer
Dimensions mm 1860 X 127 X 13
Area per Package m² 1.652
Area per Pallet m² 104.076
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 25 years



OAK CURIO

Article number	13106AEKA1KW185
EAN code	7393969043915
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3
Core material	Softwood
Backside material	Veneer
Dimensions mm	1860 X 127 X 13
Area per Package m²	1.652
Area per Pallet m²	104.076
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	25 years



OAK CARBON

Article number	13106AEK1RKW185
EAN code	7393969044035
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3
Core material	Softwood
Backside material	Veneer
Dimensions mm	1860 X 127 X 13
Area per Package m²	1.652
Area per Pallet m²	104.076
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	25 years




OAK CADENCE

Article number	13103AEK1PKW185	Wear layer material	Hardwood
EAN code	7393969107358	Wear layer mm	3
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1860 X 127 X 13
Design	1-strip	Area per Package m²	1.652
Surface treatment	Matt lacquer	Area per Pallet m²	104.076
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	None	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	25 years

TRY CADENCE IN THE FLOOR PLANNER

We developed a digital floor planner to help you choose the right, and best looking floor for your home. It allows you to quickly and easily upload an image of your interior, and then simply browse around our broad portfolio of floors and try them out until you find your favourite. This technology enables you to get a real impression of what the floor will look like in your home or project.



OAK FAWN

Article number	13103AEK1KKW185	Wear layer material	Hardwood
EAN code	7393969048040	Wear layer mm	3
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1860 X 127 X 13
Design	1-strip	Area per Package m²	1.652
Surface treatment	Matt lacquer	Area per Pallet m²	104.076
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	25 years



OAK HEATHER

Article number	13106AEK1GKW185	Wear layer material	Hardwood
EAN code	7393969048026	Wear layer mm	3
Product Range	Kährs Avanti	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1860 X 127 X 13
Design	1-strip	Area per Package m²	1.652
Surface treatment	Matt lacquer	Area per Pallet m²	104.076
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	25 years



OAK HENNA

Article number	13106AEK1NKW185
EAN code	7393969048033
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3
Core material	Softwood
Backside material	Veneer
Dimensions mm	1860 X 127 X 13
Area per Package m²	1.652
Area per Pallet m²	104.076
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	25 years



OAK ETCH

Article number	13106AEK15KW185
EAN code	7393969043212
Product Range	Kährs Avanti
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Natural
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3
Core material	Softwood
Backside material	Veneer
Dimensions mm	1860 X 127 X 13
Area per Package m²	1.652
Area per Pallet m²	104.076
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	25 years





KÄHRS CLASSIC COLLECTION



Plank and strip

Classic Collection

Various



CLASSIC WALNUT



CLASSIC OAK PLAINS



CLASSIC OAK DESERT



CLASSIC OAK ARCTIC



CLASSIC OAK TUNDRA

CLASSIC WALNUT 1S

Article number 141B33VA50WC200
EAN code 7393969301602
Product Range Kährs Wood Classic
Product type Wood Flooring
Construction 3-layer parquet
Design 1-strip
Surface treatment Satin lacquer
Natural or stained Natural
Design features None
Grading Lively

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2000 X 138 X 14
Area per Package m² 2.2
Area per Pallet m² 79,2
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years



CLASSIC OAK PLAINS

Article number 133BABEKORWC226
EAN code 7393969047777
Product Range Kährs Wood Classic
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Matt lacquer
Natural or stained Stained
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2266 X 188 X 13
Area per Package m² 3.41
Area per Pallet m² 119.35
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years



CLASSIC OAK DESERT

Article number	133BCDEKORWC226
EAN code	7393969047999
Product Range	Kährs Wood Classic
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	2.6
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 188 X 13
Area per Package m²	3.41
Area per Pallet m²	119.35
Locking system	Woodloc® 5G
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	20 years



CLASSIC OAK ARCTIC

Article number 133BABEK1VWC226
EAN code 7393969047760
Product Range Kährs Wood Classic
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Matt lacquer
Natural or stained Stained
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2266 X 188 X 13
Area per Package m² 3.41
Area per Pallet m² 119.35
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years



CLASSIC OAK TUNDRA

Article number 133BCDEK1VWC226
EAN code 7393969047968
Product Range Kährs Wood Classic
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Matt lacquer
Natural or stained Stained
Design features None
Grading Lively

Wear layer material Hardwood
Wear layer mm 2.6
Core material Softwood
Backside material Veneer
Dimensions mm 2266 X 188 X 13
Area per Package m² 3.41
Area per Pallet m² 119.35
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 20 years





OAK NOUVEAU GRAY

KÄHRS CLASSIC NOUVEAU COLLECTION

The Classic Nouveau Collection is a modern take on wood floors: trendy colors, matt finish, and wide plank design. This collection has been refined through brushing, staining, and the use of a bevel on all four edges. These floors are as beautiful as they are easy to look after, becoming an instant classic in any space.



Plank	Classic Nouveau Collection		187x2000/2266/2420x15
-------	----------------------------	--	-----------------------



OAK NOUVEAU WHISPER

Article number	151N9AEK16KW200	Wear layer material	Hardwood
EAN code	7393969046411	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15
Design	1-strip	Area per Package m²	2.24
Surface treatment	Matt lacquer	Area per Pallet m²	100.8
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU GRAY

Article number	151NAYEKD1KW240	Wear layer material	Hardwood
EAN code	7393969041744	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU GREIGE

Article number	151N8AEKGGKW220	Wear layer material	Hardwood
EAN code	7393969041195	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Matt lacquer	Area per Pallet m²	114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed, Light smoked	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU BLONDE

Article number	151N8AEKP1KW240	Wear layer material	Hardwood
EAN code	7393969041720	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU RICH

Article number	151N8AEKQ1KW240	Wear layer material	Hardwood
EAN code	7393969041737	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU TAWNY

Article number	151N8AEKA1KW240	Wear layer material	Hardwood
EAN code	7393969041713	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU WHITE

Article number	151L8AEK1DKW240 151L8AEK1DKW220	Wear layer material	Hardwood
EAN code	7393969026031 7393969047562	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2266 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.54
Surface treatment	Matt lacquer	Area per Pallet m²	122.4, 114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU BLACK

Article number	151L8AEK1JKW240	Wear layer material	Hardwood
EAN code	7393969026079	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU SNOW

Article number	151N8EEK0WKW220	Wear layer material	Hardwood
EAN code	7393969047395	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Matt lacquer	Area per Pallet m²	114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NOUVEAU LACE

Article number	151NAYEKS1KW240	Wear layer material	Hardwood
EAN code	7393969045117	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years





KÄHRS CAPITAL COLLECTION

Long wide boards with clean grade define this collection of 1-strip oak floors. The Capital Collection consists of three colors, available in a lacquer or matt lacquer finish, offering a total of six looks. Only our finest oak is selected for this exclusive product range.



Plank | Capital Collection | | 187 X 2000/2266/2420 X 15 MM



OAK DUBLIN

OAK PARIS

OAK BERLIN

PRAGUE

HONEY OAT

OAK PARIS

Article number	Oil: 151N4AEKFKW220 Ultra matt: 151N4AEK4JKW220	Wear layer material	Hardwood
EAN code	Oil: 7393969041126 Ultra matt: 7393969044967	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Oil, Ultra matt lacquer	Area per Pallet m²	114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



OAK DUBLIN

Article number	Oil: 151N4AEKF0KW240 Oil: 151N4AEKF0KW220 Ultra matt: 151N4AEK04KW240	Wear layer material	Hardwood
EAN code	Oil: 7393969037525 Oil: 7393969041270 Ultra matt: 7393969044950	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2266 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.54,
Surface treatment	Oil	Area per Pallet m²	122.4, 114.3
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



OAK BERLIN

Article number	151N4AEKFMKW220	Wear layer material	Hardwood
EAN code	7393969041133	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Oil	Area per Pallet m²	114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed, Light smoked	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



OAK HONEY OAT

Article number	151N45EK4JKW240 151N45EK4JKW200
EAN code	7393969300612 7393969300605
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Calm

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 151 X 15 2000 X 151 X 15
Area per Package m²	2.19, 1.81
Area per Pallet m²	118.26, 97.74
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK PRAGUE

Article number	151N4AEKD4KW240 151N4AEKD4KW200	Wear layer material	Hardwood
EAN code	7393969046930 7393969046268	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2000 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.24
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4, 100.8
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years






BIANCO

KÄHRS EUROPEAN RENAISSANCE COLLECTION

Our 150th anniversary has inspired us to develop a collection of classic floors based on the magnificent floor styles of bygone periods. Something really special and totally unique.



European Renaissance Collection  198.5 x 2426 x 15 mm



OAK PALAZZO BIONDO



OAK PALAZZO BIANCO



OAK PALAZZO ROVERE



OAK PALAZZO FUMO

OAK PALAZZO BIANCO

Article number	15313BEKVKW240	Wear layer material	Hardwood
EAN code	7393969037570	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2426 X 198.5 X 15
Design	Pattern	Area per Package m²	2.89
Surface treatment	Matt lacquer	Area per Pallet m²	130.05
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



OAK PALAZZO FUMO


Article number	15313REK15KW240	Wear layer material	Hardwood
EAN code	7393969034654	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2426 X 198.5 X 15
Design	Pattern	Area per Package m²	2.89
Surface treatment	Matt lacquer	Area per Pallet m²	130.05
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Light smoked	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK PALAZZO ROVERE

Article number 153138EK50KW240
EAN code 7393969024150
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design Pattern
Surface treatment Satin lacquer
Natural or stained Natural
Design features
Grading Variation

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2426 X 198.5 X 15
Area per Package m² 2.89
Area per Pallet m² 130.05
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



OAK PALAZZO BIONDO

Article number	15314BEK20KW240	Wear layer material	Hardwood
EAN code	7393969046312	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2426 X 198.5 X 15
Design	Pattern	Area per Package m²	2.89
Surface treatment	Matt lacquer	Area per Pallet m²	130.05
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years





OAK STURE

KÄHRS FOUNDERS COLLECTION

The Founders Collection pays tribute to the pioneering founding family members behind Kährs. A heavily brushed, handscraped surface, enhanced by a Nature Oil finish, showcases the grain and texture of the wood – reflecting the masters' dedication to preserving the natural beauty and craftsmanship of wood floors.



Founders Collection



187 x 2420 x 15 mm



FREDRIK



ULF



STURE



GUSTAV


OAK GUSTAF

Article number	151N7BEKFKW240	Wear layer material	Hardwood
EAN code	7393969036061	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK STURE

Article number	151N7BEKFMKW240	Wear layer material	Hardwood
EAN code	7393969036054	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed, Light smoked	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK FREDRIK

Article number	151N7BEKFCKW240	Wear layer material	Hardwood
EAN code	7393969036047	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed, Smoked	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK ULF

Article number	151N7BEKFBKW240	Wear layer material	Hardwood
EAN code	7393969036030	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years







OAK BODA

KÄHRS GÖTALAND COLLECTION

The natural grain of the wood in this 3-strip oak floor is enhanced by grey to dark in the knots and cracks, resulting in an organic expression. Occasional saw marks accentuate the floor's restored appearance. Each board is meticulously hand-scraped and carefully brushed to bring out the character of the grain and highlight the natural texture of the timber. Four-sided bevelling at the edges ensures a classic full plank look and feel.



Strip | Götaland Collection |  | 196 x 2419 x 15 mm



KILESAND



BODA



ATTEBO

OAK KILESAND

Article number	153N66EK05KW240	Wear layer material	Hardwood
EAN code	7393969042819	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2419 X 196 X 15
Design	3-strip	Area per Package m²	2.84
Surface treatment	Oil	Area per Pallet m²	127.8
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed, Saw marks	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK ATTEBO

Article number	153N66EK04KW240	Wear layer material	Hardwood
EAN code	7393969042789	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2419 X 196 X 15
Design	3-strip	Area per Package m²	2.84
Surface treatment	Oil	Area per Pallet m²	127.8
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed, Saw marks	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK BODA

Article number	153N66EK01KW240	Wear layer material	Hardwood
EAN code	7393969042772	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2419 X 196 X 15
Design	3-strip	Area per Package m²	2.84
Surface treatment	Oil	Area per Pallet m²	127.8
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Handscraped, Brushed, Saw marks	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years





OAK CORNWALL

KÄHRS EUROPEAN NATURALS COLLECTION












The multifaceted continental, the liveliness, the diversity of Europe with all its countries and people. The powerfully dominant Oak and the unique mountain Maple from the Alps.



Plank, 2-strip and 3-strip

European Naturals Collection

Various sizes

				
CORNWALL	SIENNA	VERONA	BURGUNDY	ARDENNE
				
HAMPSHIRE	ROCHFORD	ALBA	COSENZA	STARNBERG
				
NICE				

OAK ROCHFORD

Article number	151N9AEK09KW200	Wear layer material	Hardwood
EAN code	7393969045049	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15
Design	1-strip	Area per Package m²	2.24
Surface treatment	Matt lacquer	Area per Pallet m²	100.8
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK ALBA

Article number	151N51EK09KW240	Wear layer material	Hardwood
EAN code	7393969042956	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 151 X 15
Design	1-strip	Area per Package m²	2.19
Surface treatment	Matt lacquer	Area per Pallet m²	118.26
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK COSENZA

Article number	151N9LEK09KW240 151N9LEK09KW200	Wear layer material	Hardwood
EAN code	7393969038348 7393969041812	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2000 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.24
Surface treatment	Matt lacquer	Area per Pallet m²	122.4, 100.8
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK STARNBERG

Article number	Oil: 151N9AEKF0KW240 Matt: 151N9AEKF0KW200	Wear layer material	Hardwood
EAN code	Oil: 7393969033091 Matt: 7393969042550	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2000 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.24
Surface treatment	Oil	Area per Pallet m²	122.4, 100.8
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK BURGUNDY

Article number	151N8AEKF0KW220	Wear layer material	Hardwood
EAN code	7393969041256	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Oil	Area per Pallet m²	114.3
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NICE

Article number	Matt: 153N19EK09KW240 Satin: 153N19EK50KW240	Wear layer material	Hardwood
EAN code	Matt: 7393969027946 Satin: 7393969022477	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer, Satin lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



OAK VERONA

Article number	Matt: 152N38EK09KW240 Ultra matt: 152N38EK04KW240	Wear layer material	Hardwood
EAN code	Matt: 7393969025171 Ultra matt: 7393969044783	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	2-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer, Ultra matt lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years




OAK HAMPSHIRE

Article number	151L87EK09KW240	Wear layer material	Hardwood
EAN code	7393969027281	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Matt lacquer	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK CORNWALL

Article number	151L8AEK09KW240 151L8AEK09KW220	Wear layer material	Hardwood
EAN code	7393969023559 7393969041324	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2266 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.54
Surface treatment	Matt lacquer	Area per Pallet m²	122.4, 114.3
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK SIENA

Article number	Satin: 153N38EK50KW240 Matt: 153N38EK09KW240	Wear layer material	Hardwood
EAN code	Satin: 7393969014533 Matt: 7393969027212	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Satin lacquer, Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



OAK ARDENNE

Article number	153N66EK09KW240	Wear layer material	Hardwood
EAN code	7393969029599	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



CHERRY SAVANNAH

Article number 153N15CH50KW240
EAN code 7393969018852
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Satin lacquer
Natural or stained Natural
Design features None
Grading Calm

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



HARD MAPLE TORONTO

Article number	153N15AP50KW240	Wear layer material	Hardwood
EAN code	7393969018838	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Satin lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	No
		Warranty	30 years




WALNUT HARTFORD

Article number	153N29VA50KW240	Wear layer material	Hardwood
EAN code	7393969018920	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Satin lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



WALNUT MONTREAL

Article number	153N15VA50KW240	Wear layer material	Hardwood
EAN code	7393969018906	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Satin lacquer	Area per Pallet m²	130.95
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



JATOBA LA PAZ

Article number 153N16JO50KW240
EAN code 7393969023924
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Satin lacquer
Natural or stained Natural
Design features None
Grading Calm

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.72
Area per Pallet m² 122.4
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years





ASH KALMAR

KÄHRS NORDIC NATURALS COLLECTION

The warmth and luminosity of ash and beech wood floors pay tribute to Kährs' Scandinavian roots.



Plank and strip | Nordic Naturals Collection | Various sizes



GOTLAND | KALMAR | VIBORG

ASH GOTLAND

Article number	151L87AK50KW240 151L87AK50KW220
EAN code	7393969017398 7393969048156
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Satin lacquer
Natural or stained	Natural
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 187 X 15 2266 X 187 X 15
Area per Package m²	2.72, 2.54
Area per Pallet m²	122.4, 114.3
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



BEECH VIBORG

Article number 153N18BK50KW240
EAN code 7393969020121
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Satin lacquer
Natural or stained Natural
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating No
Warranty 30 years



ASH KALMAR

Article number 153N18AK09KW240
EAN code 7393969027113
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Matt lacquer
Natural or stained Natural
Design features None
Grading Variation

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years





OAK DIM

KÄHRS SAND COLLECTION

Unique white-lacquered and oiled floors in several sandy-white shades for a fresh, clean and pared-down feel.



Plank and strip

Sand Collection

Various sizes

				
FALSTERBO	SANDVIG	SKAGEN	BRIGHTON	PORTOFINO
				
SORRENTO	ESTORIL	RÜGEN	AMALFI	VIGO
				
TORUM	TARANTO	GARMISCH	SPRINGVIEW	NEWINGTON

OAK RÜGEN

Article number	151N8AEKF1KW240
EAN code	7393969042543
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 187 X 15
Area per Package m²	2.72
Area per Pallet m²	122.4
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK VIGO

Article number	151N51EK0NKW240
EAN code	7393969042949
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 151 X 15
Area per Package m²	2.19
Area per Pallet m²	118.26
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK TORUM

Article number	151NYMEK0NKW200 151NYMEK0NKW220	Wear layer material	Hardwood
EAN code	7393969044677 7393969044684	Wear layer mm	3
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15 2266 X 187 X 15
Design	1-strip	Area per Package m²	2.24, 2.54
Surface treatment	Matt lacquer	Area per Pallet m²	100.8, 114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK TARANTO

Article number	153N19EK0NKW240
EAN code	7393969039796
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



SAND COLLECTION

OAK ESTORIL

Article number	151N8AEKFKW220
EAN code	7393969041249
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 187 X 15
Area per Package m²	2.54
Area per Pallet m²	114.3
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



SAND COLLECTION

OAK BRIGHTON

Article number	151L87EK0VKW220
EAN code	7393969041164
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 187 X 15
Area per Package m²	2.54
Area per Pallet m²	114.3
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



ASH FALSTERBO

Article number	152N55AK0VKW240	Wear layer material	Hardwood
EAN code	7393969028226	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	2-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Calm	Floor heating	Yes
		Warranty	30 years



OAK GARMISCH

Article number	151N9AEKFKW220 151N9AEKFKW240	Wear layer material	Hardwood
EAN code	7393969044547 7393969033404	Wear layer mm	3
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15 2420 X 187 X 15
Design	1-strip	Area per Package m²	2.54, 2.72
Surface treatment	Oil	Area per Pallet m²	114.3, 122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK PORTOFINO

Article number	152N38EK0VKW240	Wear layer material	Hardwood
EAN code	7393969026987	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	2-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



OAK SORRENTO

Article number	153N38EK0VKW240	Wear layer material	Hardwood
EAN code	7393969027229	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	None	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



SAND COLLECTION

ASH SANDVIG

Article number	151L87AK0VKW220
EAN code	7393969041621
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 187 X 15
Area per Package m²	2.54
Area per Pallet m²	114.3
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



ASH SKAGEN

Article number	153N18AK0VKW240
EAN code	7393969026802
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK AMALFI

Article number	153N66EKW2KW240
EAN code	7393969048446
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	None
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



SAND COLLECTION

OAK SPRINGVIEW

Article number	151N5EEKH0KW220	Wear layer material	Hardwood
EAN code	7393969048507	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 151 X 15
Design	1-strip	Area per Package m²	2.05
Surface treatment	Matt lacquer	Area per Pallet m²	110.7
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK NEWINGTON

Article number	151N9EEKH0KW240 151N9EEKH0KW220	Wear layer material	Hardwood
EAN code	7393969048101 7393969048514	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2266 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.54
Surface treatment	Matt lacquer	Area per Pallet m²	122.4, 114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years


















ASH STREAM

KÄHRS LUX COLLECTION

A look and feel of untreated, newly sawn timber is achieved through treating the surface of these 1-strip floors with an ultra-matt lacquer. The floors come in colours ranging from light to dark with a four sided micro beveling at the edging which ensures a classic fullplank look. The innovative surface treatment is non-reflective; enhancing the colour of the floor while giving it a silky, yet strong shield against wear and tear.



Plank Lux Collection Various size Available in multiple lengths

				
FLOW	HORIZON	GHOST	EGGSHELL	COAST
				
STREAM	CRAYON	SHORE	BISCOTTI	SUN
				
TERRA	RISE	AURORA	SKY	

OAK SKY

Article number	151N8AEKB4KW240	Wear layer material	Hardwood
EAN code	7393969044189	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



ASH FLOW

Article number	151N8AAKG4KW240 151N8AAKG4KW220	Wear layer material	Hardwood
EAN code	7393969045131 7393969048163	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2266 X 187 X 15
Design	1-strip	Area per Package m²	2.72, 2.54
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4, 114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK AURORA

Article number	151N9AEKC4KW220	Wear layer material	Hardwood
EAN code	7393969045018	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Ultra matt lacquer	Area per Pallet m²	114.3
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK HORIZON


Article number	151N8AEKC4KW240
EAN code	7393969044196
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 187 X 15
Area per Package m²	2.72
Area per Pallet m²	122.4
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK EGGSHELL

Article number	151N51EKC4KW240 151N51EKC4KW200	Wear layer material	Hardwood
EAN code	7393969047982 7393969300131	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 151 X 15 2000 X 151 X 15
Design	1-strip	Area per Package m²	2.19, 1.81
Surface treatment	Ultra matt lacquer	Area per Pallet m²	118.26, 97.74
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK GHOST

Article number	151N51EKB4KW220 151N51EKB4KW240	Wear layer material	Hardwood
EAN code	7393969301589 7393969047975	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 151 X 15 2420 X 151 X 15
Design	1-strip	Area per Package m²	2.05, 2.19
Surface treatment	Ultra matt lacquer	Area per Pallet m²	110.7, 118.26
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK COAST

Article number	151N8AEKD4KW240 151N8AEKD4KW200	Wear layer material	Hardwood
EAN code	7393969044202 7393969047791	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15 2000 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



ASH STREAM

Article number	151N8AAKH4KW240	Wear layer material	Hardwood
EAN code	7393969045223	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK SHORE


Article number	151N8AEKE4KW240	Wear layer material	Hardwood
EAN code	7393969044219	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK CRAYON

Article number	151N51EKL4KW240
EAN code	7393969048149
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 151 X 15
Area per Package m²	2.19
Area per Pallet m²	118.26
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK BISCOTTI

Article number	151N51EKK4KW220 151N51EKK4KW200
EAN code	7393969048095 7393969048088
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2266 X 151 X 15 2000 X 151 X 15
Area per Package m²	2.05, 1.81
Area per Pallet m²	110.7, 97.74
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK RISE

Article number	151N9AEK04KW220	Wear layer material	Hardwood
EAN code	7393969045001	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2266 X 187 X 15
Design	1-strip	Area per Package m²	2.54
Surface treatment	Ultra matt lacquer	Area per Pallet m²	114.3
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK SUN

Article number	151N8AEK04KW240	Wear layer material	Hardwood
EAN code	7393969044172	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK TERRA

Article number	151N8AEKF4KW240	Wear layer material	Hardwood
EAN code	7393969044226	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Ultra matt lacquer	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years







OAK DIM

KÄHRS LUMEN COLLECTION

A look and feel of untreated, newly sawn timber is achieved through treating the surface of these 3-strip floors with an ultra-matt lacquer. The floors come in colours ranging from light to dark. The innovative surface treatment is non-reflective; enhancing the colour of the floor while giving it a silky, yet strong shield against wear and tear.



Strip | Lumen Collection |  200 x 2423 x 15 mm



OAK RIME

Article number	153N3BEKB4KW240
EAN code	7393969044257
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Brushed
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK VAPOR

Article number 152N7BEKB4KW240
EAN code 7393969044790
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 2-strip
Surface treatment Ultra matt lacquer
Natural or stained Stained
Design features Brushed
Grading Lively


Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



OAK TWILIGHT

Article number	153N3BEKD4KW240
EAN code	7393969044271
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Brushed
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK MIST

Article number 153N3BEKC4KW240
EAN code 7393969044264
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Ultra matt lacquer
Natural or stained Stained
Design features Brushed
Grading Variation

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



OAK ECLIPSE

Article number	153N3BEKE4KW240
EAN code	7393969044288
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Brushed
Grading	Variation

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK DIM

Article number	152N7BEKD4KW240
EAN code	7393969044806
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	2-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK DAWN

Article number	153N3BEK04KW240
EAN code	7393969044240
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Natural
Design features	Brushed
Grading	Variation


Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK DUSK

Article number 153N3BEKF4KW240
EAN code 7393969044295
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Ultra matt lacquer
Natural or stained Natural
Design features Brushed, Smoked
Grading Variation

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



OAK GLOW

Article number	152N6BEKF4KW240
EAN code	7393969046305
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	2-strip
Surface treatment	Ultra matt lacquer
Natural or stained	Stained
Design features	Brushed, Smoked
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2423 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years






OAK LIMESTONE

KÄHRS HARMONY COLLECTION

Harmony - the comfort of home, with its warm, nurturing atmosphere. A place to retreat, awash with mellow tones that calm the body and soul. The subtle, rich tones of Kährs Harmony Collection are designed to complement all interior styles and to create a sense of well-being



Plank Harmony Collection



200 x 2423 x 15 mm



OAK CREME


Article number	152N7BEK0WKW240	Wear layer material	Hardwood
EAN code	7393969037464	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	2-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Variation	Floor heating	Yes
		Warranty	30 years



OAK ALLOY

Article number	153N0BEKD1KW240
EAN code	7393969041751
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	3-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2421 X 200 X 15
Area per Package m²	2.91
Area per Pallet m²	130.95
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK ALE

Article number	153N6CEKQ1KW240	Wear layer material	Hardwood
EAN code	7393969041799	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK PALE

Article number 153N5BEKP1KW240
EAN code 7393969041775
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 3-strip
Surface treatment Matt lacquer
Natural or stained Stained
Design features Brushed
Grading Variation

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



OAK BROWNIE

Article number	153N6CEKA1KW240	Wear layer material	Hardwood
EAN code	7393969041782	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK GRANITE

Article number	152N6REKGGKW240	Wear layer material	Hardwood
EAN code	7393969036146	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	2-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Light smoked	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK LIMESTONE

Article number	153N0BEK0WKW240	Wear layer material	Hardwood
EAN code	7393969032629	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK LAVA

Article number	153N6CEK1JKW240	Wear layer material	Hardwood
EAN code	7393969029629	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years




OAK SHELL

Article number	153N6BEKS1KW240	Wear layer material	Hardwood
EAN code	7393969045124	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2421 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Matt lacquer	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK DEW

Article number	153N6EEKFVKW240	Wear layer material	Hardwood
EAN code	7393969032735	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2423 X 200 X 15
Design	3-strip	Area per Package m²	2.91
Surface treatment	Oil	Area per Pallet m²	130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK SILK

Article number 152N60EKP9KW240
EAN code 7393969302197
Product Range Kährs Original
Product type Wood Flooring
Construction 3-layer parquet
Design 2-strip
Surface treatment Matt lacquer
Natural or stained Stained
Design features None
Grading Lively

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 2423 X 200 X 15
Area per Package m² 2.91
Area per Pallet m² 130.95
Locking system Woodloc® 5S
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years






OAK URBAN BROWN

KÄHRS BEYOND RETRO COLLECTION

The new Beyond Retro Collection celebrates the combination of classical and modern design elements, with a sense of authenticity, warmth and modernity. The design of each floor, featuring unique stains with a warm, deep, silky, velvet and ultra-matt expression, is based on Scandinavian interior trends seen between the 1940s and 1970s. With the help of the Kährs archives in Sweden, which document our 160 years of history in wood flooring, we found the most suitable colors and styles to bring to the 21st century.



Strip	Beyond Retro Collection		200 x 2423 x 15 mm
Plank	Beyond Retro Collection		187 x 2000 x 15 mm



OAK LOFT WHITE PLANK

Article number	Plank: 151N9AEKM4KW200 Strip: 153N6BEKM4KW240	Wear layer material	Hardwood
EAN code	Plank: 7393969048279 Strip: 7393969048330	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15 2423 X 200 X 15
Design	1-strip	Area per Package m²	2.24, 2.91
Surface treatment	Ultra matt lacquer	Area per Pallet m²	100.8, 130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



BEYOND RETRO COLLECTION | LOFT WHITE | PLANK




BEYOND RETRO COLLECTION | LOFT WHITE | STRIP

OAK FROSTED OAT PLANK

Article number	Plank: 151N9AEKN4KW200 Strip: 153N6BEKN4KW240	Wear layer material	Hardwood
EAN code	Plank: 7393969048286 Strip: 7393969048347	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15 2423 X 200 X 15
Design	1-strip	Area per Package m²	2.24, 2.91
Surface treatment	Ultra matt lacquer	Area per Pallet m²	100.8, 130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



BEYOND RETRO COLLECTION | FROSTED OAT | PLANK



BEYOND RETRO COLLECTION | FROSTED OAT | STRIP

OAK URBAN BROWN PLANK

Article number	Plank: 151N9AEKP4KW200 Strip: 153N6BEKP4KW240	Wear layer material	Hardwood
EAN code	Plank: 7393969048293 Strip: 7393969048354	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15 2423 X 200 X 15
Design	1-strip	Area per Package m²	2.24, 2.91
Surface treatment	Ultra matt lacquer	Area per Pallet m²	100.8, 130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



BEYOND RETRO COLLECTION | URBAN BROWN | PLANK



BEYOND RETRO COLLECTION | URBAN BROWN | STRIP

OAK FROZEN HAZELNUT PLANK

Article number	Plank: 151N9AEKQ4KW200 Strip: 153N6BEKQ4KW240	Wear layer material	Hardwood
EAN code	Plank: 7393969048309 Strip: 7393969048361	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15 2423 X 200 X 15
Design	1-strip	Area per Package m²	2.24, 2.91
Surface treatment	Ultra matt lacquer	Area per Pallet m²	100.8, 130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



BEYOND RETRO COLLECTION | FROZEN HAZELNUT | PLANK



BEYOND RETRO COLLECTION | FROZEN HAZELNUT | STRIP

OAK PEARL GREY PLANK

Article number	Plank: 151N9AEKR4KW200 Strip: 153N6BEKR4KW240	Wear layer material	Hardwood
EAN code	Plank: 7393969048316 Strip: 7393969048378	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2000 X 187 X 15 2423 X 200 X 15
Design	1-strip	Area per Package m²	2.24, 2.91
Surface treatment	Ultra matt lacquer	Area per Pallet m²	100.8, 130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



BEYOND RETRO COLLECTION | PEARL GREY | PLANK



BEYOND RETRO COLLECTION | PEARL GREY | STRIP

OAK CHARCOAL LIGHT PLANK

Article number	Plank: 151N9AEKS4KW200 Strip: 153N6BEKS4KW240	Wear layer material	Hardwood
EAN code	Plank: 7393969048323 Strip: 7393969048385	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	Plank: 2000 X 187 X 15 Strip: 2423 X 200 X 15
Design	1-strip	Area per Package m²	2.24, 2.91
Surface treatment	Ultra matt lacquer	Area per Pallet m²	100.8, 130.95
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Brushed, Microbevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



BEYOND RETRO COLLECTION | CHARCOAL LIGHT | PLANK



BEYOND RETRO COLLECTION | CHARCOAL LIGHT | STRIP




OAK LIMESTONE

KÄHRS ZEN COLLECTION

The design of Zen embodies a minimalistic and serene philosophy, using natural materials, patterns of light and space and warm colors. It's all about creating a relaxing and visually balanced environment. Zen is a personal search for meaning, simplicity, relaxation, and enjoyment through meditation and contemplation.



Plank Harmony Collection 200 x 2423 x 15 mm



WISDOM

JOY

HAPPINESS

CALM

STRENGTH

OAK WISDOM

Article number	141XADEK05KW195	Wear layer material	Hardwood
EAN code	7393969301688	Wear layer mm	2.7
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 14
Design	1-strip	Area per Package m²	2.88
Surface treatment	Matt lacquer	Area per Pallet m²	129.6
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK JOY

Article number	141XADEK2BKW195	Wear layer material	Hardwood
EAN code	7393969301695	Wear layer mm	2.7
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 14
Design	1-strip	Area per Package m²	2.88
Surface treatment	Matt lacquer	Area per Pallet m²	129.6
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK HAPPINESS

Article number	141XADEK2GKW195	Wear layer material	Hardwood
EAN code	7393969301701	Wear layer mm	2.7
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 14
Design	1-strip	Area per Package m²	2.88
Surface treatment	Matt lacquer	Area per Pallet m²	129.6
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed, Light smoked	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years




OAK CALM

Article number	141XCDEK2VKW195	Wear layer material	Hardwood
EAN code	7393969301718	Wear layer mm	2.7
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 14
Design	1-strip	Area per Package m²	2.88
Surface treatment	Matt lacquer	Area per Pallet m²	129.6
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK STRENGTH

Article number	141XCDEK1WKW195	Wear layer material	Hardwood
EAN code	7393969301725	Wear layer mm	2.7
Product Range	Zen Collection	Core material	Softwood
Product type	3-layer parquet	Backside material	Veneer
Construction	1-strip	Dimensions mm	Matt lacquer
Design	Oak	Area per Package m²	190 X 14 X 2.88
Surface treatment	Stained	Area per Pallet m²	129.6
Natural or stained	Microbevelled 4-sided, Brushed	Locking system	Dynamic
Design features	1900	Installation method	Floating, Glue-down
Grading	Woodloc® 5G	Floor heating	Yes
		Warranty	30 years






ASPELAND

KÄHRS SMÅLAND COLLECTION


Specially selected oak planks with a lot of character, individually treated based on its unique composition of knots, graining and cracks. The result is a lively and rich floor with natural lustre and feeling.



Plank Småland Collection 187 x 2420 x 15 mm



KLINTA SEVEDE YDRE MÖRE VISTA



VEDBO HANDBÖRD TVETA FINNVEDEN ASPELAND

OAK SEVEDE

Article number	151NCSEK05KW240	Wear layer material	Hardwood
EAN code	7393969039000	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Light smoked, Hand-scraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK TVETA

Article number	151NDSEK04KW240	Wear layer material	Hardwood
EAN code	7393969039055	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Light smoked, Hand-scraped, Saw marks	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years




OAK ASPELAND

Article number	151NDSEK01KW240	Wear layer material	Hardwood
EAN code	7393969039024	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Handscraped, Saw marks	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK YDRE

Article number	151NCSEK04KW240	Wear layer material	Hardwood
EAN code	7393969038997	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Light smoked, Hand-scraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK MÖRE

Article number	151NCSEK03KW240	Wear layer material	Hardwood
EAN code	7393969038980	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK FINNVEDEN

Article number	151NDSEK03KW240	Wear layer material	Hardwood
EAN code	7393969039048	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Handscraped, Saw marks	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK VEDBO

Article number	151NCSEK01KW240	Wear layer material	Hardwood
EAN code	7393969038966	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK VISTA

Article number	151NCSEK02KW240	Wear layer material	Hardwood
EAN code	7393969038973	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK HANDBÖRD

Article number	151NDSEK06KW240	Wear layer material	Hardwood
EAN code	7393969039079	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Light smoked, Handscraped, Saw marks	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK KLINTA

Article number	151NCSEK07KW240	Wear layer material	Hardwood
EAN code	7393969044820	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years






ASH STREAM

KÄHRS BOARDWALK COLLECTION

These stunning single strip oak floors feature a brushed, handscraped surface, enhanced by a Nature Oil finish that highlights the grain and texture of the wood. The collection consists of four floors, ranging from crispy, white Luce and elegantly pale Pallido, to the sophisticated grey Ombra and warm, brown Tramonto.



Plank	Boardwalk Collection	<input type="text"/>	187 x 2420 x 15 mm
-------	----------------------	----------------------	--------------------



LUCE OMBRA PALLIDO TRAMONTO

OAK LUCE

Article number	151NDMEK11KW240	Wear layer material	Hardwood
EAN code	7393969046091	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK PALLIDO

Article number	151NDMEK10KW240	Wear layer material	Hardwood
EAN code	7393969046084	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK TRAMONTO

Article number	151NDMEK14KW240	Wear layer material	Hardwood
EAN code	7393969046114	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK OMBRA

Article number	151NDMEK13KW240	Wear layer material	Hardwood
EAN code	7393969046107	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed, Light smoked	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years






OAK CAMINO

KÄHRS ARTISAN COLLECTION

The ultimate artistic wood floors, based on the unique character of Oak, in combination with highly skilled craftsmanship. The floors have a contemporary look, combined with old-fashioned charm. The colour range spans from palest white to dark gray.



Plank	Artisan Collection	<input type="text"/>	190 x 1900 x 15 mm
-------	--------------------	----------------------	--------------------



OAK CONCRETE

Article number	151XCDEKFMKW195	Wear layer material	Hardwood
EAN code	7393969045254	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Handscraped, Brushed, Bevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK OYSTER

Article number	151XCDEKFKW195	Wear layer material	Hardwood
EAN code	7393969045285	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK LINEN

Article number	151XCDEKFHKW195	Wear layer material	Hardwood
EAN code	7393969045278	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Light smoked, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years




MAPLE CAROB

Article number	151XCDAPFAKW195	Wear layer material	Hardwood
EAN code	7393969045247	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	No
		Warranty	30 years



OAK EARTH

Article number	151XCDEKFCKW195	Wear layer material	Hardwood
EAN code	7393969045261	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Smoked, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years




OAK TAN

Article number	151XCDEKFSKW195	Wear layer material	Hardwood
EAN code	7393969045308	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Light smoked, Handscrapped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK STRAW

Article number	151XCDEKFZKW195	Wear layer material	Hardwood
EAN code	7393969045292	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years




OAK CAMINO

Article number	151XDDEKFZKW195	Wear layer material	Hardwood
EAN code	7393969045230	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK BUCKSKIN

Article number	151XCDEKF1KW195	Wear layer material	Hardwood
EAN code	7393969301060	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years





OAK BRANCA

KÄHRS RIFUGIO COLLECTION

The single-strip oak floor from are enhanced by a natural oil finish, which highlights the charcoal knots and cracks. Each board is carefully brushed to bring out the character of the grain and emphasises the natural texture of the wood. Four-sided jagged bevelling at the edges and saw marks enhances the worn appearance of the floor.



Plank Rifugio Collection 190 x 1900 x 15 mm



BRANCA

PORDOI

AURONZO

LOCATELLI

COMICI

OAK COMICI

Article number	151XDDEKF7KW195	Wear layer material	Hardwood
EAN code	7393969046565	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Brushed, Saw marks, Light smoked, Broken beveled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK LOCATELLI

Article number	151XDDEKF8KW195	Wear layer material	Hardwood
EAN code	7393969046558	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Brushed, Saw marks, Broken bevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK AURONZO

Article number	151XDDEKF9KW195	Wear layer material	Hardwood
EAN code	7393969046862	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Brushed, Saw marks, Broken bevelled 4-sided	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK BRANCA

Article number	151XDDEKF5KW195	Wear layer material	Hardwood
EAN code	7393969046572	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Broken bevelled 4-sided, Brushed, Smoked, Saw marks	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK PORDOI

Article number	151XDDEKF6KW195	Wear layer material	Hardwood
EAN code	7393969046541	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Broken bevelled 4-sided, Brushed, Smoked, Saw marks	Installation method	Floating, Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years





KÄHRS ELEMENT COLLECTION

A floor collection of sleek planks that has been refined through brushing, staining and topped with a microbevel on all four edges. The somewhat more narrow format of 151 mm width is a key feature for an overall balanced floor impression.



Plank

Element Collection

2420 X 151 X 15



CINDER



CRISP



BRIGHT



PURE

OAK CINDER

Article number	151N5YEKD1KW240
EAN code	7393969044660
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 151 X 15
Area per Package m²	2.19
Area per Pallet m²	118.26
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK CRISP

Article number	151N5AEKP1KW240
EAN code	7393969044561
Product Range	Kährs Original
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Matt lacquer
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2420 X 151 X 15
Area per Package m²	2.19
Area per Pallet m²	118.26
Locking system	Woodloc® 5S
Installation method	Floating, Glue-down
Floor heating	Yes
Warranty	30 years



OAK BRIGHT

Article number	151N5AEK0WKW240	Wear layer material	Hardwood
EAN code	7393969044615	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 151 X 15
Design	1-strip	Area per Package m²	2.19
Surface treatment	Matt lacquer	Area per Pallet m²	118.26
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK PURE

Article number	151N5AEK09KW240	Wear layer material	Hardwood
EAN code	7393969044554	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 151 X 15
Design	1-strip	Area per Package m²	2.19
Surface treatment	Matt lacquer	Area per Pallet m²	118.26
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Microbevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years





KÄHRS TEXTURE COLLECTION

Specially selected oak planks with a lot of character. Each board is heavily brushed and the genuine cracks and knots in combination with the saw marks bring out the character of the grain and highlight the natural texture of the wood. The result is a floor with a genuine look and feeling.



Plank

Texture Collection

2420 X 187 X 15



TEXTURE NATURE



TEXTURE WEISS

OAK TEXTURE NATUR

Article number	151198240	Wear layer material	Hardwood
EAN code	7393969047647	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Natural	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Saw marks	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK TEXTURE WEISS

Article number	151199240	Wear layer material	Hardwood
EAN code	7393969047654	Wear layer mm	3.5
Product Range	Kährs Original	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2420 X 187 X 15
Design	1-strip	Area per Package m²	2.72
Surface treatment	Oil	Area per Pallet m²	122.4
Natural or stained	Stained	Locking system	Woodloc® 5S
Design features	Bevelled 4-sided, Brushed, Saw marks	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years





OAK BRANCA

KÄHRS DA CAPO COLLECTION

Da Capo Collection includes floors ranging from light to dark, united by their rustic appearance. This has been achieved through a great amount of manual work on each plank, including hand scraping and oiling.



Plank and strip

Da Capo Collection

Various size



INDOSSATI



DECORUM



DUSSATO



ROCCIA



DOMO



UNICO



SPARUTO



MAGGIORE

OAK ROCCIA

Article number 152XDDEKGGKW195
EAN code 7393969045414
Product Range Kährs Supreme
Product type Wood Flooring
Construction 3-layer parquet
Design 2-strip
Surface treatment Oil
Natural or stained Stained
Design features Brushed, Saw marks
Grading Expressive

Wear layer material Hardwood
Wear layer mm 3.5
Core material Softwood
Backside material Veneer
Dimensions mm 1900 X 190 X 15
Area per Package m² 2.17
Area per Pallet m² 75.95
Locking system Woodloc® 5G
Installation method Floating, Glue-down
Floor heating Yes
Warranty 30 years



OAK DUSSATO

Article number	152XDDEKFHKW195	Wear layer material	Hardwood
EAN code	7393969045407	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	2-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Light smoked, Handscraped	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK DECORUM

Article number	152XDDEKFNKW195	Wear layer material	Hardwood
EAN code	7393969045384	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	2-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Handscraped	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK DOMO

Article number	152XDDEKFPKW195	Wear layer material	Hardwood
EAN code	7393969045391	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	2-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Smoked, Handscraped	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK MAGGIORE

Article number	151XDDEKF0KW195	Wear layer material	Hardwood
EAN code	7393969045438	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Handscraped, Bevelled 4-sided, Brushed	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK INDOSSATI

Article number	151XDDEKFHKW195	Wear layer material	Hardwood
EAN code	7393969045421	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Stained	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Light smoked, Hand-scraped	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK UNICO

Article number	151XDDEKFPKW195	Wear layer material	Hardwood
EAN code	7393969045452	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	1900 X 190 X 15
Design	1-strip	Area per Package m²	2.17
Surface treatment	Oil	Area per Pallet m²	75.95
Natural or stained	Natural	Locking system	Woodloc® 5G
Design features	Bevelled 4-sided, Brushed, Smoked, Handscraped, Wooden plugs	Installation method	Floating, Glue-down
Grading	Expressive	Floor heating	Yes
		Warranty	30 years



OAK SPARUTO

Article number 151XDDEKFRKW195

EAN code 7393969045445

Product Range Kährs Supreme

Product type Wood Flooring

Construction 3-layer parquet

Design 1-strip

Surface treatment Oil

Natural or stained Natural

Design features Bevelled 4-sided, Brushed, Smoked, Handscraped, Wooden plugs

Grading Expressive

Wear layer material Hardwood

Wear layer mm 3.5

Core material Softwood

Backside material Veneer

Dimensions mm 1900 X 190 X 15

Area per Package m² 2.17

Area per Pallet m² 75.95

Locking system Woodloc® 5G

Installation method Floating, Glue-down

Floor heating Yes

Warranty 30 years





CHEVRON DARK BROWN


CHEVRON COLLECTION

The new Chevron collection represents a modern take on a classical pattern. The ingenious construction of “ready-made” patterned boards ensures easy and fast installation. The design with bevelled edges, combined with natural colour variations and the brushed surface, creates a striking look. The collection comes in four colours: a warm white, a unique grey colour with a weathered look, a classic brown and smoky shade in luxury dark brown. When installed and combined with the wood panelling, the result is dramatic and exclusive.




Plank/strip


Chevron Collection




305 x 1848 x 15 mm



DARK BROWN



LIGHT BROWN




GREY

CHEVRON COLLECTION

OAK CHEVRON LIGHT BROWN


Article number	151XADEKWJKW180	Wear layer material	Hardwood
EAN code	7393969044646	Wear layer mm	3.5
Product Range	Kährs ID	Core material	Plywood
Product type	Wood Flooring	Backside material	Oak lamellas
Construction	3-layer parquet	Dimensions mm	1848 X 305 X 15
Design	Pattern	Area per Package m²	2.04
Surface treatment	Oil	Area per Pallet m²	61.2
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Bevelled 4-sided, Brushed, Light smoked	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



CHEVRON COLLECTION

OAK CHEVRON DARK BROWN


Article number	151XADEKWFKW180	Wear layer material	Hardwood
EAN code	7393969044639	Wear layer mm	3.5
Product Range	Kährs ID	Core material	Plywood
Product type	Wood Flooring	Backside material	Oak lamellas
Construction	3-layer parquet	Dimensions mm	1848 X 305 X 15
Design	Pattern	Area per Package m²	2.04
Surface treatment	Oil	Area per Pallet m²	61.2
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Bevelled 4-sided, Brushed, Smoked	Installation method	Glue-down
Grading	Lively	Floor heating	Yes
		Warranty	30 years



OAK CHEVRON GREY

Article number	151XADEKWKW180
EAN code	7393969044653
Product Range	Kährs ID
Product type	Wood Flooring
Construction	3-layer parquet
Design	Pattern
Surface treatment	Oil
Natural or stained	Stained
Design features	Bevelled 4-sided, Brushed
Grading	Lively

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Plywood
Backside material	Oak lamellas
Dimensions mm	1848 X 305 X 15
Area per Package m²	2.04
Area per Pallet m²	61.2
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years






OAK BUCKINGHAM

ROYAL COLLECTION

Royal is one of our most exclusive collections. The grand and noble design lets Royal dress any room in an elegant way. The collection features our widest floorboards, highlighting the wood in all its beauty with a brushed, oiled surface for a true authentic look.



Plank	Royal Collection		305 x 2400 x 18 mm
-------	------------------	--	--------------------



OAK SCHÖNBRUNN



OAK SANSSOUCI



OAK CHILLON



OAK BUCKINGHAM

OAK SANSSOUCI

Article number	181XDDEK26KW240	Wear layer material	Hardwood
EAN code	7393969047081	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2400 X 305 X 18
Design	1-strip	Area per Package m²	2.93
Surface treatment	Oil	Area per Pallet m²	79.11
Natural or stained	Natural	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK CHILLON

Article number	181XADEK32KW240	Wear layer material	Hardwood
EAN code	7393969047074	Wear layer mm	3.5
Product Range	Kährs Supreme	Core material	Softwood
Product type	Wood Flooring	Backside material	Veneer
Construction	3-layer parquet	Dimensions mm	2400 X 305 X 18
Design	1-strip	Area per Package m²	2.93
Surface treatment	Oil	Area per Pallet m²	79.11
Natural or stained	Stained	Locking system	Tongue & Groove
Design features	Microbevelled 4-sided, Brushed, Smoked	Installation method	Glue-down
Grading	Dynamic	Floor heating	Yes
		Warranty	30 years



OAK BUCKINGHAM

Article number	181XADEK25KW240
EAN code	7393969047067
Product Range	Kährs Supreme
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Stained
Design features	Microbevelled 4-sided, Brushed
Grading	Dynamic

Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2400 X 305 X 18
Area per Package m²	2.93
Area per Pallet m²	79.11
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years



OAK SCHÖNBRUNN

Article number	181XADEK24KW240
EAN code	7393969047050
Product Range	Kährs Supreme
Product type	Wood Flooring
Construction	3-layer parquet
Design	1-strip
Surface treatment	Oil
Natural or stained	Natural
Design features	Microbevelled 4-sided, Brushed
Grading	Dynamic



Wear layer material	Hardwood
Wear layer mm	3.5
Core material	Softwood
Backside material	Veneer
Dimensions mm	2400 X 305 X 18
Area per Package m²	2.93
Area per Pallet m²	79.11
Locking system	Tongue & Groove
Installation method	Glue-down
Floor heating	Yes
Warranty	30 years



KÄHRS FLOOR PLANNER

- THE IDEAL TOOL WHEN CHOOSING A FLOOR

We developed a digital floor planner to help you choose the right, and best looking floor for your home. It allows you to quickly and easily upload an image of your interior, and then simply browse around our broad portfolio of floors and try them out until you find your favourite. This technology enables you to get a real impression of what the floor will look like in your home.



A floor can truly change the interior of any home, and it's one of the most important interior elements. Choosing a new floor is a big decision and there are many things to take into account. Will it make the room appear smaller or larger, darker or lighter? The appearance, feel and colour are only a few points to consider. We have therefore developed the Kährs Floor Planner: A great tool that will help to ensure that you choose the right floor.



Once you have narrowed down your favourite floors to two options, the compare function is perfect. By using the compare function, you can easily compare between two different floors by simply dragging the vertical line left/right.

KÄHRS ESSENTIALS

THE PERFECT MATCH



STAIR NOSE




COVER STRIP
AVAILABLE IN ALUMINIUM



FINISH PROFILE
AVAILABLE IN ALUMINIUM



SKIRTING



SKIRTING



COVER STRIP
AVAILABLE IN ALUMINIUM



Kährs offers a complete flooring system where every detail – from the skirting to the wide range of installation and maintenance products – have been designed to enhance the beauty and strength of your floor.

THE PERFECT FINISH

The smallest things often make the biggest difference. This is true of a Kährs floor, where the highest level of skill and craftsmanship goes into every detail, including the skirting boards and different types of mouldings.

CARE AND MAINTENANCE

Kährs' Care and Maintenance range cover all you need for daily care, as well as regular maintenance of the floor. It also includes products which can be used to repair a damaged floor.

SO, WHERE TO START?

Step 1.

Start by choosing your floor.

There are several parameters to take into account, including design, surface treatment, and construction. If you need help, Kährs Academy can help you. For instant help online, go to: www.kahrsacademy.com

When it comes to choosing the colour and grading, Kährs Floor Planner is the perfect tool. Here you can simply upload a photo of your home and see how different floors would look in your home. Go to www.kahrsfloorplanner.com and try it out.



Step 2.

Choose skirting and mouldings that are colour matched to your wood floor for the perfect result. We offer matching skirting and mouldings to most of our wood floors.



SKIRTING

Our skirting comes in different formats, heights and colours, to perfectly match your wooden floor. Skirting adds the final touch and improves the perception of the entire room.

ELEGANCE WITH STAIR NOSES

With matching stair noses, the stairs will look perfect at every step. Elegance in every detail.



WHERE TWO FLOORS MEET

Wherever there is a joint between two floors, a moulding or a cover strip is needed. We have three different types for different joints: A cover strip is used when wood meets another hard surface, like stone. An L-moulding is used when wood meets textile or when wood lays towards sliding glass doors for example. A T-moulding is used where two wooden floors in the same height meet. Even cover strips and mouldings come in a variety of colours, matching our floors for a perfect result.

Step 3.

As with most things, prep work is important for a great result. This also applies to the installation of a new floor. We have a range of different underlays with different properties meeting different needs. Our Tuplex and Special underlay, for example, has outstanding acoustic properties.



Step 4.

With our Woodloc® locking system, it's easy to install our floors. With our installation kit, consisting of a variety of installation tools, you'll have everything you need for a beautiful and quick installation.



Step 5.


There is nothing like a newly installed wood floor. To ensure it stays beautiful, there are a few things to keep in mind: To maintain the surface treatment, we recommend regularly using our Satin Oil on oiled floors and Lacquer Refresher on lacquered floors. To clean your floors, use our Antimicrobial Kährs Cleaner. When cleaning with water, only use a small amount of water and make sure it dries within a minute.



Step 6.

Small damages to your wood floor can be repaired with our wood filler, which is easy to use and covers up scratches.

KÄHRS ACADEMY




Take the opportunity to learn more about Kährs and how we work with sustainability by taking Kährs Academy. Here you will have the opportunity to learn more about our broad portfolio of floors as well as what to consider when choosing a floor. You'll also discover our new Kährs Floor Planner which allows you to simply upload a picture and browse around our vast assortment of Wood- and Luxury Tiles floors to find the best match. An excellent tool when planning any home, room or project.

SELECTED PARTS OF THE ACADEMY



Get to know Kährs




Sustainability @Kährs



Kährs total product offer



How to choose a floor



Kährs Floor Planner

FREE ONLINE COURSE FOR CONSUMERS

Use Kährs Academy to improve skills in how to select the right floor, install and maintain it!

It's 100% free and when you register we won't use your address for marketing. Your email address is only used to create your account and nothing else.



BECOME A KÄHRS CERTIFIED AMBASSADOR

Use Kährs Academy to improve skills to sell high margin products and satisfy their customers providing the right information about Kährs products. Become Kährs dealer "certified".



LEARN ABOUT OUR FLOORING ASSORTMENT

Here you have the opportunity to learn more about wooden floors in general, and to get acquainted with our broad portfolio of wooden floors as well as Luxury Tiles click floors.





FLOORS BEYOND EXPECTATIONS

WWW.KAHR.S.COM